

### Cambridge IGCSE™

PHYSICS	0625/32
Paper 3 Core Theory MARK SCHEME	February/March 2025
Maximum Mark: 80	
	D. I. W. L. J.
	Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the February/March 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

#### **Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alon gside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

#### **GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

#### **GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

#### **GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

#### **GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

#### **GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

#### **GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

#### **Science-Specific Marking Principles**

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

#### 5 'List rule' quidance

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards n.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be
  awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this
  should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

#### 6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

#### 7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

#### Acronyms and shorthand in the mark scheme.

acronym/shorthand	explanation
A marks	Final answer marks which are awarded for fully correct final answers.
C marks	Compensatory marks which may be scored to give partial credit when final answer (A) marks for a question have not been awarded.
B marks	Independent marks which do not depend on other marks.
M marks	Method marks which must be scored before any subsequent final answer (A) marks can be scored.
Brackets ( )	Words not explicitly needed in an answer, however if a contradictory word/phrase/unit to that in the brackets is seen the mark is not awarded.
<u>Underlining</u>	The underlined word (or a synonym) must be present for the mark to be scored. If the word is a technical scientific term, the word must be there.
/ or OR	Alternative answers any one of which gains the credit for that mark.
owtte	Or words to that effect
ignore	identifies incorrect or irrelevant points which may be disregarded, i.e., <u>not</u> treated as contradictory. Ignore is also used to indicate an insufficient answer not worthy of credit <u>on its own</u> .
CON	An incorrect point which contradicts any correct point and means the mark cannot be scored.
ecf [question part]	Indicates that a candidate using an erroneous value from the stated question part must be given credit here if the erroneous value is used correctly here. Cf. SSMP 4. <u>Always annotate with ECF</u>
cao	correct answer only

Question	Answer	Marks
1(a)	3.55 (m/s)	B1
1(b)	constant/steady (speed) OR zero acceleration	B1
1(c)	(distance travelled =) 12 (m)	A3
	(distance travelled =) $4(.0) \times 3(.0)$	(C2)
	(distance travelled =) area under graph OR b × h	(C1)
1(d)	(upward force × is) air resistance OR friction OR drag	B1
	(downward force Y is) weight OR (force of) gravity	B1

Question	Answer	Marks
2(a)	Any <b>two</b> from:	B2
	idea of using measuring cylinder to measure (liquid) volume	
	measure mass of cylinder / beaker empty / with liquid	
	measure (any) mass with balance	
	Any one from:	B1
	idea of subtracting mass of empty beaker	
	use of density = mass ÷ volume	

Question	Answer	Marks
2(b)	(mass =) 96 (g)	A4
	(mass =) $8(.0) \times 12$	(C3)
	(mass =) density × volume	(C1)
	(volume of block =) $2 \times 2 \times 3$ OR 12 (cm <sup>3</sup> )	(C1)

Question	Answer	Marks
3(a)	(has) lower centre of gravity owtte	B1
3(b)	$(P =) 1.5 (N / cm^2)$	A3
	(P=) 48 ÷ 32	(C2)
	$(P=) F \div A$	(C1)
3(c)	(moment =) 270 (Ncm)	A3
	(moment =) 15 × 18	(C2)
	$moment = force \times (perp.) distance (from pivot)$	(C1)

Question	Answer	Marks
4(a)	any FOUR from:	В4
	idea of burning (bio)fuel burning fuel produces thermal energy (this is) used to heat water OR to produce steam	
	(steam) turns / powers / rotates / spins turbine	
	(turbine) turns generator	
4(b)	any <b>one</b> advantage from: (use a) renewable form of energy less contribution to global warming	B1
	less atmospheric pollution	
	can be grown in most / many countries reduce dependence on foreign oil / fossil fuels	
	any <b>one</b> disadvantage from: not enough biofuel to meet demand loss of land for food production use of fertilisers use of water (for irrigation) problems with monoculture / growing same crop (for fuel each year)	B1

Question	Answer	Marks
5(a)	chemical (energy)	B1
	gravitational potential (energy)	B1

Question	Answer	Marks
5(b)	4.8 (J)	А3
	(work done =) $8(.0) \times 0.6$	(C2)
	(work done =) force × distance (moved in direction of force)	(C1)
5(c)	2.4 (W)	А3
	(power input =) $0.4(0) \times 6(.0)$	(C2)
	(power input =) $I \times V$	(C1)

Question	Answer	Marks
6(a)	any three from (particles are:)	В3
	in a random arrangement	
	close together OR slightly further apart than in solids	
	move freely OR slide over each other	
	collide (with each other)	
	moving randomly	
6(b)	conduction	B1

Question	Answer	Marks
6(c)	any three from:	В3
	convection	
	idea that water at bottom of pan is warmed / temp of water at bottom increases	
	warm water is less dense	
	less dense / warm water rises OR more dense/colder water sinks	
6(d)	100 (°C)	B1

Question	Answer	Marks
7(a)	ray refracted toward normal as it enters glass (by eye)	B1
	ray refracted away from normal on leaving glass (by eye) OR emergent ray parallel with incident ray (by eye)	B1
7(b)	orange yellow green blue indigo	B1
7(c)(i)	ultraviolet (rays / light)	B1
7(c)(ii)	detecting / treating cancer OR sterilising food / medical equipment OR (medical) imaging OR detecting leaks in (underground) pipes	B1
7(c)(iii)	mutation or damage to cells / organs / DNA OR cancer	B1

Question	Answer	Marks
8(a)	vibrations OR oscillations	
8(b)	20 to 20 000	B1
	hertz OR Hz	B1
8(c)	reaction time	B1
	OR	
	distance / time interval is too small	

Question	Answer	Marks
9(a)	correct symbol for:	B1
	voltmeter	
	lamp	B1
	variable resistor	B1
	lamp and variable resistor connected in series circuit <b>AND</b> voltmeter in parallel with lamp	B1
9(b)	25 (Ω)	А3
	11 ÷ 0.44	(C2)
	$(R =) V \div I \text{ or } V = I \times R \text{ or in any form}$	(C1)
9(c)	current increases	B1
	(because) resistance (of variable resistor) decreases OR there is less resistance wire (in the circuit / for current to move through)	B1

Question	Answer	
10(a)	move the magnet	M1
	{into OR out of OR relative to} the solenoid / coil	A1
10(b)	any <b>two</b> from:	B2
	use a stronger magnet	
	increase the number of turns on the coil	
	increasing the speed of (movement of the) magnet	
10(c)(i)	(soft) iron	B1
10(c)(ii)	secondary (coil)	B1
10(c)(iii)	step-up (transformer)	B1

Question	Answer		
11(a)	name of particle	relative charge	location in the atom
	proton	+1	in the nucleus
	neutron	0 OR zero	in the nucleus
	electron	-1 OR minus 1	orbiting the nucleus
	B1 B1 B1		
11(b)	+2 OR plus two		

Question	Answer	
11(c)	any <b>two</b> from:	B2
	gamma (rays) most / more penetrating	
	alpha (particles) least / less penetrating	
	beta are between alpha and gamma	

Question	Answer	Marks
12(a)	gravitational (attraction)	B1
12(b)	Earth's axis is tilted (relative to its orbital plane) OR idea that in part of orbit, N or S pole points towards/away from Sun	B1
12(c)	490 (s)	А3
	$1.48 \times 10^{11} \div 3(.0) \times 10^{8}$	(C2)
	speed = distance ÷ time OR (t =) d ÷ s	(C1)