

Cambridge IGCSE™

ADDITIONAL MATHEMATICS

Paper 2 MARK SCHEME Maximum Mark: 80 0606/22 February/March 2025

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the February/March 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Mathematics-Specific Marking Principles

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- 5 Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
^	More information required
A0	Accuracy mark awarded zero
A1	Accuracy mark awarded one
A2	Accuracy mark awarded two
A3	Accuracy mark awarded three
BO	Independent mark awarded zero
B1	Independent mark awarded one
B2	Independent mark awarded two
BOD	Benefit of the doubt
E	Communication mark
×	Incorrect point
FT	Follow through
Highlighter	Highlight a key point in the working
ISW	Ignore subsequent work
MO	Method mark awarded zero
M1	Method mark awarded one
M2	Method mark awarded two
MR	Misread
0	Omission

Annotation	Meaning
Off-page comment	Allows comments to be entered at the bottom of the RM marking window and then displayed when the associated question item is navigated to.
On-page comment	Allows comments to be entered in speech bubbles on the candidate response.
Pre	Premature rounding/approximation
SC	Special case
SEEN	Indicates that work/page has been seen
TE	Transcription error
>	Correct point
ХР	Not from wrong working

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

- M Method marks, awarded for a valid method applied to the problem.
- A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

- awrt answers which round to
- cao correct answer only
- dep dependent
- FT follow through after error
- isw ignore subsequent working
- nfww not from wrong working
- oe or equivalent
- rot rounded or truncated
- SC Special Case
- soi seen or implied

Question	Answer	Marks	Guidance
1(a)	$AOB = \arccos\left(\frac{5}{13}\right)$ oe	M1	For a complete method to find <i>AOB</i>
	1.18	A1	
1(b)	25.9 cm	3	M1 for $AB = 12$ soi
			M1 for arc length = $5 \times theirAOB$ in radians
1(c)	Area = 15.3 cm^2	3	M1 for area of triangle = 30 soi
			M1 for area of sector = $\frac{1}{1}$
			$\frac{1}{2} \times 25 \times theirAOB$ in radians
2(a)	$\frac{dy}{dx} = \frac{1}{2} \left(2(x+2)(3-2x) - 2(x+2)^2 \right) oe$	2	M1 for attempt to differentiate a product, or expansion and differentiation
	or $\frac{dy}{dx} = \frac{1}{2} \left(-6x^2 - 10x + 4 \right)$ oe		
	When $\frac{dy}{dx} = 0$, $x = -2$, $x = \frac{1}{3}$ nfww	2	M1 for equating <i>their</i> $\frac{dy}{dx}$ to zero and
			attempt to solve a quadratic equation to obtain 2 <i>x</i> -values
2(b)		3	 B1 for correct shape with maximum in the first quadrant, continuing into the 4th quadrant. B1 for correct intercepts -2 and 1.5 on the <i>x</i>-axis or stated and no others; must have a cubic graph B1 for 6 on the <i>y</i>-axis or stated; must have a cubic graph
2(c)	$\frac{343}{54}$ or 6.35	M1	For finding the <i>y</i> -coordinate of the maximum point.
	$0 < k < \frac{343}{54}$	A1	A0 if additional values are given.
	or $0 < k < 6.35$		

Question	Answer	Marks	Guidance
3	$6x^{\frac{6}{5}} + x^{\frac{3}{5}} - 12 = 0$	M1	For attempt to obtain a 3-term quadratic in terms of $x^{\frac{3}{5}}$, allow one sign error. Allow use of substitution
	$x^{\frac{3}{5}} = \frac{4}{3}, \ x^{\frac{3}{5}} = -\frac{3}{2}$	M1	Dep for solution of <i>their</i> quadratic equation to obtain 2 solutions in terms of $x^{\frac{3}{5}}$
	1.62, -1.97	2	M1 for correct attempt to solve an equation of the form $x^{\frac{3}{5}} = k$, $k \neq 1$ A1 for both
4(a)(i)	3003	B1	
4(a)(ii)	With the sisters: 792 soi	B1	
	Without the sisters: 66 soi	B1	
	Total 858	B1	
4(b)	68 880	3	B1 Starts with 1, 3, 5, 7, 9: 42000 soi
			B1 Starts with 2, 4, 6 or 8: 26880 soi
	Alternative		
	68 880	(3)	B1 Ends with 0: 15 120 soi
			B1 Ends with 2, 4, 6 or 8: 53760 soi
5(a)	$e^y = mx^2 + c$ soi	B1	
	m = -3 used correctly	B1	
	<i>c</i> =18.75	B1	
	$y = \ln(18.75 - 3x^2)$ oe	B1	Allow 18.8 B0 for poor use of brackets
5(b)	<i>their</i> $(18.75 - 3x^2) > 0$	B1	May be implied by final answer
	Critical values ± 2.5 oe seen	B1	May be implied by final answer
	-2.5 < x < 2.5	B1	Mark final answer

Question	Answer	Marks	Guidance
6(a)	$\frac{\left(\frac{4x}{2x^2+1} \times (x+2)\right) - \ln\left(2x^2+1\right)}{(x+2)^2}$ oe, isw	3	B1 for $\frac{4x}{2x^2 + 1}$ M1 for attempt at differentiation of a quotient or correct product A1 for all terms apart from $\frac{4x}{2x^2 + 1}$ correct
6(b)	When $x = 2$, $\frac{dy}{dx} = 0.0849$ and attempt at correct use of small changes	M1	Substitution of $x = 2$ needs to be seen if simplification of (a) is incorrect.
	Change = $0.0849h$	A1	Must have full marks in part (a)
6(c)	$\frac{\mathrm{d}y}{\mathrm{d}t} = -0.4 \mathrm{soi}$	B1	
	$\frac{\mathrm{d}x}{\mathrm{d}t} = -\frac{0.4}{their\frac{\mathrm{d}y}{\mathrm{d}x_{x=2}}}$	M1	
	awrt -4.71	A1	
7(a)	Least value of <i>a</i> when $2+a=1$ so $a=-1$.	2	B1 for range of f: $2+a$, may be implied by $a+1$ or $\sqrt{a+1}$
7(b)	$\sqrt{\left(2e^x+5\right)-1} \ \left[=3\right]$	M1	For correct order
	<i>x</i> =0.916	2	M1 for correct attempt to solve to obtain $x = \dots$
8(a)	Numerator: $\frac{\sin\theta \times \sin^2\theta}{\cos^2\theta}$ or Denominator: $\frac{1}{\cos^2\theta}$ soi	B1	Allow for a correct step and equivalent methods
	$\frac{\frac{\sin\theta \times \sin^2\theta}{\cos^2\theta}}{\frac{1}{\cos^2\theta}} = \sin^3\theta$	B1	Must have sufficient detail

0606/22

Question	Answer	Marks	Guidance
8(b)	$\sin 3x = \frac{1}{2}$	B 1	
	$3x = 30^{\circ}$	M1	Any correct triple angle
	$x = -110^{\circ}, -70^{\circ}, 10^{\circ}, 50^{\circ}, 130^{\circ}, 170^{\circ}$	3	M1 for one correct solution A1 for three further correct solutions A1 for a further two correct solutions and no extra solutions in the range
9(a)	$v = \frac{10}{2t+1} - 5$	2	M1 for $v = \frac{A}{2t+1} - 5$
	When $v = 0, t = \frac{1}{2}$	2	Dep M1 for attempt to solve <i>their</i> $v = 0$
9(b)	When $t = \frac{1}{2}$, $s = 0.9657$ or $5\ln 2 - 2.5$ and when $t = 2$ $s = -1.9528$ or $5\ln 5 - 10$	2	FT on <i>their t</i> from part (a) B1FT for when $t = \frac{1}{2}$, $s = 0.9657$ or $5\ln 2 - 2.5$
	3.88	2	M1 for distance = $2(their 0.9657) + 1.9528$
9(c)	$-\frac{20}{\left(2t+1\right)^2}$ oe	2	M1 for $\frac{B}{(2t+1)^2}$, where <i>B</i> is an integer
9(d)	-0.2	B 1	Mark final answer, do not isw.
10	$a^4x^4 - 8a^3x^3 + 24a^2x^2$ soi	3	B1 for each term
	$1 + \frac{3b}{x} + \frac{3b^2}{x^2}$ soi	2	B1 for two correct terms
	<i>a</i> =3	B 1	
	<i>b</i> =5	2	B1 for $-8a^3 + 3a^4b = 999$ oe or $243b - 216 = 999$ oe
	c=3051	2	B1 for $3a^4b^2 - 24a^3b + 24a^2 = c$ oe or $6075 - 3240 + 216 = c$ oe

Question	Answer	Marks	Guidance
11	$\tan\left(y+1.5\right) = \frac{1}{3}$	B 1	
	Allow 1.96 or 1.9625 to 1.964 Allow 5.10 to 5.11	3	M1 for a correct order of operations, may be implied by $y = -1.178$ oe A1 for one correct solution A1 for a second correct solution and no extras