



# Cambridge International AS & A Level

---

## PHYSICS

9702/33

Paper 3 Advanced Practical Skills 1

February/March 2025

### CONFIDENTIAL INSTRUCTIONS



**This document gives details of how to prepare for and administer the practical exam.**

**The information in this document and the identity of any materials supplied by Cambridge International are confidential and must NOT reach candidates either directly or indirectly.**

**The supervisor must complete the report at the end of this document and return it with the scripts.**

---

### INSTRUCTIONS

- If you have any queries regarding these confidential instructions, contact Cambridge International stating the centre number, the syllabus and component number and the nature of the query.  
email      [info@cambridgeinternational.org](mailto:info@cambridgeinternational.org)  
phone      +44 1223 553554

---

This document has 8 pages.

## General information about practical exams

Centres must follow the guidance on science practical exams given in the *Cambridge Handbook*.

### Safety

Supervisors must follow national and local regulations relating to safety and first aid.

Only those procedures described in the question paper should be attempted.

Supervisors must inform candidates that materials and apparatus used in the exam should be treated with caution. Suitable eye protection should be used where necessary.

### Before the exam

- The packets containing the question papers must **not** be opened before the exam.
- It is assumed that standard school laboratory facilities, as indicated in the *Guide to Planning Practical Science*, will be available.
- Spare materials and apparatus for the tasks set must be available for candidates, if required.

### During the exam

- It must be made clear to candidates at the start of the exam that they may request spare materials and apparatus for the tasks set.
- Where specified, the supervisor **must** perform the experiments and record the results as instructed. This must be done **out of sight** of the candidates, using the same materials and apparatus as the candidates.
- Any assistance provided to candidates must be recorded in the supervisor's report.
- If any materials or apparatus need to be replaced, for example, in the event of breakage or loss, this must be recorded in the supervisor's report.

### After the exam

- The supervisor must complete a report for each practical session held and each laboratory used.
- Each packet of scripts returned to Cambridge International must contain the following items:
  - the scripts of the candidates specified on the bar code label provided
  - the supervisor's results relevant to these candidates
  - the supervisor's reports relevant to these candidates
  - seating plans for each practical session, referring to each candidate by candidate number
  - the attendance register.

## Specific information for this practical exam

The supervisor must be a teacher of physics or other competent physicist who is familiar with the requirements of this syllabus. During the exam, the supervisor (**not** the invigilator) should obtain a sample set of numerical results by following the relevant steps in the question paper. The results should be clearly labelled 'supervisor's results' and recorded on the supervisor's report or on a spare copy of the question paper.

### Organisation of the exam

- The number of sets of apparatus provided for each experiment should be  $\frac{1}{2}N$ , where  $N$  is the number of candidates taking the exam.
- Candidates must **not** be provided with any additional apparatus beyond that specified in these instructions.
- Candidates should be allowed access to the apparatus for each experiment for one hour only.
- After spending one hour on one experiment, candidates should change over to the other experiment.
- The order in which a candidate attempts the two experiments is immaterial.

### Assistance to candidates


- Candidates should be informed that, if they find themselves in real difficulty, they may ask the supervisor for practical assistance, but that the extent of this assistance will be reported to the examiner, who may not award full credit for the relevant skills.
- Assistance should only be given when it is asked for by a candidate or where apparatus is seen to have developed a fault.
- Assistance should be restricted to enabling candidates to make observations and measurements. Observations and measurements must **not** be made for candidates, and no help should be given with data analysis or evaluation.
- In cases of faulty apparatus that prevent the required measurements from being taken, the supervisor should allow extra time to give the candidate a fair opportunity to perform the experiment as if the fault had not been present.
- Any assistance or extra time given to candidates must be recorded in the supervisor's report.

**Materials and apparatus for Question 1 (per set of apparatus unless otherwise specified)**

- 105 cm length of 32 swg or 0.27 mm diameter nichrome resistance wire. See Note 1 and Note 2.
- Metre rule with a millimetre scale. See Note 2.
- Four crocodile clips. See Note 3.
- Digital ammeter with range 0–200 mA. If a multimeter is used the range should be fixed and any unused terminals should be covered with tape.
- Resistor of resistance  $18\Omega$  rated at 0.25 W (e.g. RS Stock No. 199-7910) with terminals.
- 1.5 V cell with terminals.
- Switch.
- A second metre rule with a millimetre scale.
- Seven connecting leads. One of the leads should be 1.0 m long.

**Notes**

- 1 If 32 swg or 0.27 mm diameter nichrome wire is not available then other wire with approximate resistance per unit length of  $20\Omega\text{ m}^{-1}$  can be used.
- 2 Attach the resistance wire to the metre rule with adhesive tape, as shown in Fig. 1.1.

**Fig. 1.1**


- 3 The jaws of the crocodile clips should be cleaned so that they make good electrical contact with the wire.
- 4 The apparatus should be laid out on the bench. If the apparatus is to be used by another candidate, then it should be dismantled and restored to its original state.

**Materials and apparatus for Question 2 (per set of apparatus unless otherwise specified)**


- Stand and boss.
- Flat-headed nail of diameter 3 mm.  
The boss must be able to hold the nail securely.
- Wooden strip of length 58.0 cm and cross-section 1.0 × 1.0 cm. See Note 1.
- Two 50 g slotted masses. See Note 2.
- M5 bolt of length 40 mm and M5 nut. See Note 2.
- Two 30 cm lengths of 15 mm (or half inch) diameter PEX pipe.  
This type of pipe is used for hot and cold water plumbing systems.  
An example is toolstation.com product code 52801.  
PEX is cross-linked high density polyethylene.  
Any other type of plastic pipe is unsuitable for this experiment.
- Permanent (waterproof) marker pen.
- Tray with approximate dimensions 400 × 300 mm.
- Transparent heat resistant 100 cm<sup>3</sup> measuring cylinder of approximate height 26 cm.
- Access to a supply of boiling water, e.g. electric kettle.
- Jug suitable for the candidate to transfer 200 cm<sup>3</sup> of very hot water from the kettle.
- Liquid-in-glass thermometer with 1 °C divisions and range –10 to 100 °C. The thermometer should have a length of at least 20 cm.
- 200 cm<sup>3</sup> beaker.
- Metre rule with a millimetre scale.
- Paper towels to mop up any spillage.

**Notes**

- 1 Drill two holes (one vertical and one horizontal) through the wooden strip as shown in Fig. 2.1.

**Fig. 2.1**

- 2 Attach the two slotted masses to the strip using the nut and bolt, as shown in Fig. 2.2.



**Fig. 2.2**

- 3 The apparatus should be laid out on the bench. If the apparatus is to be used by another candidate, then it should be restored to its original state with new pipes provided.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

## Supervisor's report

Syllabus and component number

				/		
--	--	--	--	---	--	--

Centre number

--	--	--	--	--

Centre name .....

Time of the practical session .....

Laboratory name/number .....

**Give details of any difficulties experienced by the centre or by candidates (include the relevant candidate names and candidate numbers).**

You must include:

- any difficulties experienced by the centre in the preparation of materials
- any difficulties experienced by candidates, e.g. due to faulty materials or apparatus
- any specific assistance given to candidates.

## Declaration

- 1 Each packet that I am returning to Cambridge International contains all of the following items:
  - the scripts of the candidates specified on the bar code label provided
  - the supervisor's results relevant to these candidates
  - the supervisor's reports relevant to these candidates
  - seating plans for each practical session, referring to each candidate by candidate number
  - the attendance register.
- 2 Where the practical exam has taken place in more than one practical session, I have clearly labelled the supervisor's results, supervisor's reports and seating plans with the time and laboratory name/number for each practical session.
- 3 I have included details of difficulties relating to each practical session experienced by the centre or by candidates.
- 4 I have reported any other adverse circumstances affecting candidates, e.g. illness, bereavement or temporary injury, directly to Cambridge International on a *special consideration form*.

Signed ..... (supervisor)

Name (in block capitals) .....