

# Cambridge O Level

---

**MATHEMATICS (SYLLABUS D)****4024/12**

Paper 1

**May/June 2025**

MARK SCHEME

Maximum Mark: 100

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

---

This document consists of **11** printed pages.

**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Mathematics-Specific Marking Principles**

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- 5 Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.


















**Annotations guidance for centres**










Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

**Annotations**

<b>Annotation</b>	<b>Meaning</b>
	More information required
	Accuracy mark awarded zero
	Accuracy mark awarded one
	Accuracy mark awarded two
	Accuracy mark awarded three
	Independent mark awarded zero
	Independent mark awarded one
	Independent mark awarded two
	Independent mark awarded three
	Benefit of the doubt
	Communication mark
	Incorrect
	Follow through
Highlighter	Highlight a key point in the working
	Ignore subsequent work
	Method mark awarded zero
	Method mark awarded one
	Method mark awarded two

Annotation	Meaning
	Method mark awarded three
	Misread
	Omission
Off-page comment	Allows comments to be entered at the bottom of the RM marking window and then displayed when the associated question item is navigated to.
On-page comment	Allows comments to be entered in speech bubbles on the candidate response.
	Premature rounding/approximation
	Special case
	Indicates that work/page has been seen
	Transcription error
	Correct
	Correct answer from incorrect working

### MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

#### Types of mark

- M** Method marks, awarded for a valid method applied to the problem.
- A** Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B** Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more ‘method’ steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation ‘dep’ is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

#### Abbreviations

- awrt answers which round to
- cao correct answer only
- dep dependent
- isw ignore subsequent working
- nfwf not from wrong working
- oe or equivalent
- rot rounded or truncated
- soi seen or implied

Question	Answer	Marks	Partial Marks
1(a)	14	1	
1(b)	16	1	
1(c)	$\frac{12}{45}$ or $\frac{4}{15}$ oe	2	<b>M1</b> for $\frac{2}{9} \times \frac{6}{5}$ seen or for $\frac{4}{18} \div \frac{15}{18}$ seen
2(a)	$\frac{4}{11}$	1	
2(b)	$\frac{6}{11}$	1	
3	Correct net of cube with edge length 3 cm	3	<b>B2</b> for net of open cube with edge length 3 cm or for correct net with no/incorrect internal lines  OR  <b>M1</b> for square with edge length 3 cm soi <b>B1</b> for net of cube seen, any edge length
4	22	3	<b>B2</b> for $AEB = 110^\circ$ or $BEC = 70^\circ$ or <b>M2</b> for $[x = ]180 - ((180 - 2 \times 35) + 48)$ oe or <b>B1</b> for $DCE = 35^\circ$ or $DEC = 110^\circ$
5	-3	2	<b>M1</b> for $4 - x = \frac{35}{5}$ or $20 - 5x = 35$ or better
6(a)	29 to 31	2	<b>B1</b> for 5.8 to 6.2 seen  or <b>M1</b> for <i>their</i> distance in cm $\times 5$ evaluated
6(b)	C marked in correct position	2	<b>B1</b> for of bearing of $060^\circ$ from A or bearing of $320^\circ$ from B
7(a)	5	1	
7(b)	$\frac{1}{16}$ or 0.0625	2	<b>B1</b> for $\frac{1}{4^2}$ seen or $16^{-1}$ seen


Question	Answer	Marks	Partial Marks
8(a)	4 points correctly plotted	2	<b>B1</b> for 2 correct plots
8(b)	Ruled line of best fit	1	
8(c)	Reading at 6.8 km from <i>their</i> line of best fit	1	Dependent on straight line of best fit with positive gradient
9	90 and 20 seen as rounded values <b>and</b> final answer 1800	2	<b>B1</b> for 90 and 20 seen as rounded values or <b>M1</b> for product $87.1 \times 23.6$ soi
10(a)	$2^2 \times 3 \times 19$ or $2 \times 2 \times 3 \times 19$	2	<b>B1</b> for 2, 2, 3, 19  or <b>M1</b> for any two stages correct in factor tree or ladder method
10(b)	$2^4 \times 3^2 \times 19^2$ or $2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 19 \times 19$	1	FT <i>their</i> product with each term squared
11(a)	$4x + 6y = 30$ leading to $2x + 3y = 15$ with no errors	1	
11(b)	$6x + y = 13$ oe	1	
11(c)	Correct method to eliminate one variable	<b>M1</b>	
	[Small box = ] 1.5 oe [Large box = ] 4	<b>A2</b>	<b>A1</b> for $x = 1.5$ oe or $y = 4$  If <b>A0</b> scored, <b>SC1</b> for a pair of values that satisfy either equation
12(a)	Rotation 90° clockwise oe (-2, 1)	3	<b>B1</b> for each
12(b)	Triangle at (-6, 1), (-3, 1), (-5, 2)	2	<b>B1</b> for reflection in $x = k$ or in $y = -1$
12(c)(i)	3 cao	1	
12(c)(ii)	(3, 3) (9, 6)	2	<b>B1</b> for (3, 3) or (9, 6)
13(a)	68	2	<b>M1</b> for $85 - \frac{20}{100} \times 85$ oe or <b>B1</b> for answer 17
13(b)	50	2	<b>M1</b> for $\frac{(100-20)}{100} \times 85 = 40$ oe soi

Question	Answer	Marks	Partial Marks
14(a)	$\begin{bmatrix} \overrightarrow{AB} \end{bmatrix} = \begin{pmatrix} 10 \\ -4 \end{pmatrix}$	2	<b>B1</b> for $\begin{pmatrix} 10 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -4 \end{pmatrix}$
14(b)	(3, -3)	2	<b>B1</b> for each or for $\begin{bmatrix} \overrightarrow{OC} \end{bmatrix} = \begin{pmatrix} 3 \\ -3 \end{pmatrix}$
14(c)(i)	(-2, -1)	2	<b>B1</b> for one value correct or for correct FT for x- or y-coordinate of D $x = \text{their } 3 - 0.5 \times \text{their } 10$ evaluated $y = \text{their } (-3) - 0.5 \times \text{their } (-4)$ evaluated  or <b>M1</b> for $\begin{bmatrix} \overrightarrow{DC} \end{bmatrix} = \begin{pmatrix} (\text{their } 10) \div 2 \\ (\text{their } -4) \div 2 \end{pmatrix}$
14(c)(ii)	$2\sqrt{10}$ cao	3	<b>M2</b> for $(-4 - \text{their } (-2))^2 + (5 - \text{their } (-1))^2$ oe  or <b>M1</b> for $(-4 - \text{their } (-2))$ and $(5 - \text{their } (-1))$ oe
15(a)	$3\sqrt{7}$ cao	2	<b>B1</b> for $5\sqrt{7}$ or $2\sqrt{7}$
15(b)	$\frac{\sqrt{5}}{5}$ cao	1	
16(a)(i)	32	1	
16(a)(ii)	10	2	<b>B1</b> for [UQ = ] 35 or [LQ = ] 25
16(a)(iii)	8	2	<b>M1</b> for 72 seen If 0 scored, <b>SC1</b> for answer 9
16(b)	Yes, IQR is lower [for journey time from home to work] oe	1	Strict FT <b>their (a)(ii)</b>



Question	Answer	Marks	Partial Marks
17(a)	$2 - \frac{3}{5}x$ oe final answer	2	<b>M1</b> for $5y = 10 - 3x$ or for $y + \frac{3}{5}x = \frac{10}{5}$ or better
17(b)	$y = \frac{5}{3}x - 3$ oe	3	<b>B1</b> for [gradient =] $\frac{5}{3}$ oe or $-\frac{1}{\text{their}\left(-\frac{3}{5}\right)}$ oe  <b>M1</b> for substituting (6, 7) into $y = (\text{their } m)x + c$ oe or for $(y - 7) = (\text{their } m)(x - 6)$
18(a)	Constant speed oe	1	
18(b)	$0.25 \times 40 = 10$	1	
18(c)	220	3	<b>M2</b> for $\frac{1}{2} \times 10 \times (T + 60) = \text{figs } 14$ oe  or <b>M1</b> for correct method to find a relevant area under the graph seen
19	$\frac{3(x-2)}{2x+7}$ or $\frac{3x-6}{2x+7}$ final answer	4	<b>B1</b> for $3(x+2)(x-2)$ seen or $(3x-6)(x+2)$ seen or $(3x+6)(x-2)$ seen  <b>B2</b> for $(2x+7)(x+2)$ seen or <b>B1</b> for $2x(x+2) + 7(x+2)$ seen or for $x(2x+7) + 2(2x+7)$ seen or for $(2x+a)(x+b)$ seen where $ab = 14$ or $a + 2b = 11$

Question	Answer	Marks	Partial Marks
20	$\frac{8}{11}$ cao	4	<p><b>B3</b> for <math>\frac{72}{99}</math> or equivalent fraction seen</p> <p>OR</p> <p><b>B2</b> for <math>\frac{17}{99}</math> seen</p> <p>or <b>M1</b> for <math>17.17\ldots - 0.17\ldots</math> oe</p> <p>or for <math>99x = 17</math> oe</p> <p><b>M1</b> for correct use of common denominator e.g. <math>\frac{17}{99} + \frac{55}{99}</math> oe</p> <p>FT <i>their</i> <math>\frac{17}{99}</math> provided denominator <math>\neq 9</math></p> <p>OR</p> <p><b>B2</b> for <math>0.7272\ldots</math></p> <p>or <b>B1</b> for <math>0.5555\ldots</math></p>
21(a)	$[\overrightarrow{AX}] = \frac{3}{5}(\mathbf{b} - \mathbf{a}) \text{ or } \frac{3}{5}\mathbf{b} - \frac{3}{5}\mathbf{a}$ <p>final answer</p>	2	<b>B1</b> for $\overrightarrow{AB} = \mathbf{b} - \mathbf{a}$ oe
21(b)	$[\overrightarrow{XC}] = \frac{3}{5}\mathbf{a} + \frac{9}{10}\mathbf{b} \text{ final answer}$	3	<p><b>B2</b> for <math>\overrightarrow{XC} = \frac{3}{2}(\mathbf{a} + \text{their}AX)</math> oe</p> <p>or <math>\overrightarrow{XC} = -(\text{their}AX) + \frac{3}{2}\mathbf{b}</math> oe</p> <p>OR</p> <p><b>M1</b> for a correct route for <math>XC</math> along lines of diagram</p> <p><b>B1</b> for <math>\overrightarrow{AC} = \frac{3}{2}\mathbf{b}</math> oe or <math>\overrightarrow{OC} = \mathbf{a} + \frac{3}{2}\mathbf{b}</math> oe</p> <p>or <math>\overrightarrow{XC} = \frac{3}{2}\overrightarrow{OX}</math> oe</p>

Question	Answer	Marks	Partial Marks
22(a)	$(x+2)^2 - 16$ final answer	2	<b>B1</b> for $(x+2)^2$ seen
22(b)	$(-2, -16)$	1	or <b>FT</b> ( $-(\text{their } 2)$ , $\text{their } (-16)$ )
22(c)	<p>Correct sketch with minimum in correct quadrant and values <math>-6</math>, <math>2</math>, <math>-12</math> labelled</p> 	4	<p><b>B1</b> for U-shape curve</p> <p><b>B1</b> for value <math>-12</math> labelled as y-intercept</p> <p><b>B2</b> for values <math>-6</math> and <math>2</math> labelled as x-intercepts and no extras or <b>B1</b> for parabola with value <math>-6</math> or <math>2</math> labelled as an x-intercept or <b>M1</b> for <math>(x+6)(x-2)</math> soi or for <math>x+2 = \pm\sqrt{16}</math> <b>FT</b> <i>their (a)</i></p> <p>Max 3 marks if sketch incorrect</p>
23	$26\pi$ cao	5	<p><b>M2</b> for <math>AOB = 100</math> or <math>AOB = \frac{5\pi \times 360}{2\pi \times 9}</math> or better or <b>M1</b> for <math>\frac{x}{360} \times 2\pi \times 9 = 5\pi</math> oe</p> <p><b>M2</b> for <math>\frac{360 - \text{their } AOB}{360} \times \pi \times 6^2</math> oe or <math>\pi \times 6^2 - \frac{\text{their } AOB}{360} \times \pi \times 6^2</math> oe or <b>M1</b> for <math>\frac{\text{their } AOB}{360} \times \pi \times 6^2</math> or for major sector angle = <math>360 - \text{their } AOB</math></p>