

Cambridge O Level

MATHEMATICS (SYLLABUS D)**4024/12**

Paper 1

October/November 2025

MARK SCHEME

Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **10** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Mathematics-Specific Marking Principles

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- 5 Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	More information required
	Accuracy mark awarded zero
	Accuracy mark awarded one
	Accuracy mark awarded two
	Accuracy mark awarded three
	Independent mark awarded zero
	Independent mark awarded one
	Independent mark awarded two
	Independent mark awarded three
	Benefit of the doubt
	Incorrect
	Follow through
Highlighter	Highlight a key point in the working
	Ignore subsequent work
	Method mark awarded zero
	Method mark awarded one
	Method mark awarded two
	Method mark awarded three

Annotation	Meaning
MR	Misread
O	Omission
Off-page comment	Allows comments to be entered at the bottom of the RM marking window and then displayed when the associated question item is navigated to.
On-page comment	Allows comments to be entered in speech bubbles on the candidate response.
Pre	Premature rounding/approximation
SC	Special case
SEEN	Indicates that work/page has been seen
TE	Transcription error
	Correct

Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Marks	Partial Marks										
1(a)	<table border="1"> <tr> <td>Blue</td> <td>5</td> </tr> <tr> <td>Grey</td> <td>3</td> </tr> <tr> <td>Red</td> <td>6</td> </tr> <tr> <td>Silver</td> <td>8</td> </tr> <tr> <td>White</td> <td>2</td> </tr> </table>	Blue	5	Grey	3	Red	6	Silver	8	White	2	2	B1 for three correct frequencies associated with correct colour or M1 for all tallies correct
Blue	5												
Grey	3												
Red	6												
Silver	8												
White	2												
1(b)	Correct bar chart with linear scale starting from 0 on frequency axis	3	FT their frequency table B2 for 5 bars equal width and correct height or B1 for 3 bars equal width and correct height or for 5 bars correct height but unequal width/gaps B1 for linear scale starting from 0 on frequency axis										
2(a)	0.58	1											
2(b)	40	1											
3	20 nfww	4	B1 for CEB or $CBE = 70^\circ$ B1 for $ECD = 70^\circ$ or $EAD = 110^\circ$ or $ADC = 70^\circ$ B1 for $AED = 50^\circ$ or $EDC = 50^\circ$										
4	28 cao	2	B1 for answer in range 25 to 35										
5	$\frac{7}{9} 0.8 84.5\% \frac{17}{20}$	2	B1 for three correct when one is covered up If 0 scored, SC1 for $\frac{17}{20} 84.5\% 0.8 \frac{7}{9}$										
6	$[x =] 6$	2	M1 for $6x - 4x = 9 + 3$ or better										
7(a)	$x > 3$ or $3 < x$ final answer	1											
7(b)	$x < 9$ or $9 > x$ final answer	1											

Question	Answer	Marks	Partial Marks
8(a)	(-2, 1)	1	
8(b)	[$p =] 6$	2	M1 for line with gradient -2 drawn through B or for point C marked at (6, -1) or for $\frac{-1-3}{p-4} = -2$ oe
8(c)	(0, -3) or ((their $p - 6$), -3)	2	B1 for answer ((their $p - 6$), k) or (k , -3) or M1 for gradient $AD = -2$ stated or for $CD = \begin{pmatrix} -6 \\ -2 \end{pmatrix}$ soi or for $AD = \begin{pmatrix} 2 \\ -4 \end{pmatrix}$ soi
9(a)	5 : 6 : 3	2	M1 for correct simplified ratio e.g. 30 : 36 : 18 or better seen
9(b)	[yellow =] 30 [white =] 48	3	M2 for $\frac{18}{(8-5)} \times k$ oe where $k = 5$ or 8 or M1 for $\frac{18}{(8-5)}$ oe or for $\frac{x}{x+18} = \frac{5}{8}$ oe
10	$4\frac{2}{3}$ cao	3	B2 for $\frac{70}{15}$ oe seen OR M1 for $\frac{7}{5}$ M1 for $\left(\text{their } \frac{7}{5} \right) \times \frac{10}{3}$ or $\left(\text{their } \frac{14}{10} \right) \div \frac{3}{10}$
11(a)	Translation $\begin{pmatrix} -5 \\ -4 \end{pmatrix}$	2	B1 for each
11(b)	Shape at (2, -1), (3, -1), (3, -2), (2, -3)	2	B1 for correct size and orientation but wrong position or SC1 for correct anticlockwise rotation about (0, 0)

Question	Answer	Marks	Partial Marks																
12(a)(i)	<table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td>3</td><td>5</td><td>7</td><td>9</td></tr> <tr><td>3</td><td>5</td><td>7</td><td>9</td></tr> <tr><td>5</td><td>7</td><td>9</td><td>11</td></tr> <tr><td>7</td><td>9</td><td>11</td><td>13</td></tr> </table>	3	5	7	9	3	5	7	9	5	7	9	11	7	9	11	13	1	
3	5	7	9																
3	5	7	9																
5	7	9	11																
7	9	11	13																
12(a)(ii)	$\frac{3}{16}$ oe	2	FT their table B1 for $\frac{3}{k}$ or $\frac{k}{16}$ dependent on fraction < 1																
12(b)	$\frac{6}{16}$ oe	2	M1 for correct sample space diagram or for listing all six correct combinations or for identifying that there are six successful outcomes																
13	440	4	M2 for $82 - 5 \times 12$ isw or M1 for 5×12 M1 for $5\% = \text{their } 22$ oe soi																
14	$[\angle BCD =] 105^\circ$ alternate segment theorem associated with $\angle BCA$ Angle at the centre is twice the angle at the circumference associated with $\angle ACD$	B2 B1 B1	B1 for $\angle BCA = 65^\circ$ or for $\angle ACD = 40^\circ$ Dep on $\angle BCA = 65^\circ$ Dep on $\angle ACD = 40^\circ$																
15(a)	12	1																	
15(b)	Correct smooth curve	4	B3FT for 6 points correctly plotted or B2FT for 4 points correctly plotted or B1FT for 2 points correctly plotted																
15(c)	-1.7 to -1.3	1																	
15(d)	Ruled line $y = 8 - x$ -0.9 to -0.7 1.4 to 1.6 3.2 to 3.5	M2 A2	M1 for short or unruled line $y = 8 - x$ or for $y = 8 - x$ soi or for $y = k - x$ drawn or $y = 8 - kx$ drawn, but not $y = 8$ A1 for two correct solutions If M1 scored, SC1 for three correct solutions																
16(a)	$11 + 13\sqrt{2}$ final answer	2	B1 for $3 + \sqrt{2} + 12\sqrt{2} + 4\sqrt{2} \times \sqrt{2}$ or better																

Question	Answer	Marks	Partial Marks
16(b)	$\frac{-1+\sqrt{7}}{6}$ final answer	2	M1 for $\times \frac{1-\sqrt{7}}{1-\sqrt{7}}$ or $\times \frac{\sqrt{7}-1}{\sqrt{7}-1}$
17(a)	$\frac{21}{2}$ oe	2	M1 for $\frac{9}{PR} = \frac{6}{7}$ oe
17(b)	36 nfww	2	B1 for $\left(\frac{9}{6}\right)^2$ oe soi or $\left(\frac{\text{their } PR}{7}\right)^2$ oe soi
18	243 π	5	B4 for answer 162 π OR B3 for $r = 9$ or M2 for $\pi r^2 \times 6 = \frac{1}{2} \times \frac{4}{3} \pi r^3$ oe or M1 for $\pi r^2 \times 6$ oe or $\frac{1}{2} \times \frac{4}{3} \pi r^3$ oe M1 for $\frac{1}{2} \times 4\pi \times (\text{their } 9)^2 + \pi \times (\text{their } 9)^2$ oe
19(a)	$\frac{1}{8}$	2	B1 for 2^{-3} or better or for $\frac{1}{16^{\frac{3}{4}}}$ or better or for answer 8
19(b)	$3^{\frac{7}{2}}$	2	M1 for $9^2 = (3^2)^2$ soi If 0 scored, SC1 for answer 3.5 oe
20(a)	$\frac{x-3}{a}$ oe final answer	2	M1 for $x = ay + 3$ or $ax = y - 3$ or $\frac{y}{a} = x + \frac{3}{a}$ or better
20(b)	$[a =] 3$ $[b =] 1$	3	B1 for $a = 3$ B2 for $b = 1$ or M1 for $(ax + 3 + b)^2$ or for $(3 + b)^2 = 16$ or for $[\text{gf}(x) =] (3x + 4)^2$
21(a)(i)	$\frac{1}{2}\mathbf{a}$	1	
21(a)(ii)	$\frac{3}{2}\mathbf{b} - \frac{1}{2}\mathbf{a}$ final answer	2	B1 for $\overrightarrow{PN} = \frac{1}{2}\mathbf{b}$ oe or $\overrightarrow{NQ} = \frac{3}{2}\mathbf{b}$ oe or M1 for a correct vector route along lines of diagram

Question	Answer	Marks	Partial Marks
21(b)	$\frac{7}{6}\mathbf{a}$	2	B1 for $\overrightarrow{PX} = \frac{1}{6}\mathbf{a}$ soi or for NMQ to NXP scale factor = $\frac{1}{3}$ soi
22(a)	$\frac{60 \times 4}{x}$ leading to $\frac{240}{x}$	1	
22(b)	$\frac{240}{x-2} + \frac{240}{x} = 70$ oe	M1	
	$\frac{240x}{x(x-2)} + \frac{240(x-2)}{x(x-2)} = 70$ or $240x + 240(x-2) = 70x(x-2)$	M1	Correct use of common denominator or correct removal of fractions from <i>their</i> 3-term equation with two fractions with different algebraic denominators
	$240x + 240x - 480 = 70x^2 - 140x$	M1	Correct elimination of fractions and expansion of brackets from <i>their</i> 3-term equation with two fractions with different algebraic denominators
	Leading to $7x^2 - 62x + 48 = 0$	A1	A0 if any errors or omissions once an equation has been formed
22(c)	$(7x-6)(x-8)$	M2	M1 for $(7x+a)(x+b)$ where $ab = 48$ or $7b + a = -62$ or for partial factorisation $x(7x-6) - 8(7x-6)$ or $7x(x-8) - 6(x-8)$
	$\frac{6}{7}$ and 8	B1	
22(d)	10	2	M1 for $\frac{60}{(\text{their } 8) - 2}$, where <i>their</i> $8 > 2$ If 0 scored, SC1 for answer 40
23	$12\sqrt{2}$ cao	4	B3 for $[MX =] \sqrt{72}$ oe or $[AB =] 2\sqrt{72}$ oe or M2 for $\sqrt{11^2 - 7^2}$ or M1 for $x^2 + 7^2 = 11^2$