

# Cambridge O Level

---

**CHEMISTRY****5070/21**

Paper 2 Theory

**October/November 2025**

MARK SCHEME

Maximum Mark: 80

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

---

This document consists of **13** printed pages.

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Science-Specific Marking Principles**

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

**5 'List rule' guidance**

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards ***n***.
- Incorrect responses should not be awarded credit but will still count towards ***n***.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

**6 Calculation specific guidance**

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

**7 Guidance for chemical equations**

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

## Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

### Annotations

Annotation	Meaning
	correct point or mark awarded
	incorrect point or mark not awarded
	information missing or insufficient for credit
	incorrect or insufficient point ignored while marking the rest of the response
	contradiction in response, mark not awarded
	benefit of the doubt given
	error carried forward applied
	incorrect point or mark not awarded
	rounding error

Annotation	Meaning
<b>SEEN</b>	point has been noted, but no credit has been given or blank page seen
<b>SF</b>	error in number of significant figures
	used to highlight part of the response
	key point attempted / working towards marking point / incomplete answer / response seen but not credited / blank page seen
	unclear response / query

Question	Answer	Marks
1(a)(i)	<b>A</b>	1
1(a)(ii)	<b>B</b>	1
1(a)(iii)	<b>F</b>	1
1(a)(iv)	<b>C</b>	1
1(a)(v)	<b>E</b>	1
1(b)	<b>C</b> and <b>D</b>	1

Question	Answer	Marks
2(a)	different number of neutrons / different mass number / different nucleon number	1
2(b)	same electronic configuration	1
2(c)	$\frac{(95.04 \times 32) + (0.75 \times 33) + (4.20 \times 34) + (0.01 \times 36)}{100}$ correct numerator (1) correct denominator (1)	2

Question	Answer	Marks
3(a)(i)	<b>A</b> activation energy / $E_a$ (1) <b>B</b> enthalpy change / $\Delta H$ (1)	2
3(a)(ii)	product level above reactant level	1
3(b)	limewater goes milky	1



Question	Answer	Marks
3(c)	(moles of carbon dioxide =) $230 / 24000$ OR 0.00958 (1)  (moles of $\text{NaHCO}_3$ ) = $0.00958 \times 2$ OR 0.0192 (1)  mass of $\text{NaHCO}_3$ = 1.6 (1)	3

Question	Answer	Marks
4(a)(i)	<b>Any two from:</b>  particles are touching each other / particles are very close to one another (1)  random (arrangement) (1)  particles flow/move over one another (1)	2
4(a)(ii)	weak intermolecular forces	1
4(b)(i)	high melting point / high boiling point (1)  conducts electricity in (aqueous) solution (1)	2
4(b)(ii)	$\text{K} \rightarrow \text{K}^+ + \text{e}^-$	1
4(b)(iii)	$\text{F}_2 + 2\text{e}^- \rightarrow 2\text{F}^-$	1
4(c)(i)	potassium chloride and iodine	1
4(c)(ii)	(colourless solution) goes brown	1

Question	Answer	Marks																
5(a)	high melting point / high boiling point (1) high density (1)	2																
5(b)(i)	has electrons that can move / presence of mobile electrons	1																
5(b)(ii)	<b>layers</b> of (metal) ions can slide (over one another)	1																
5(c)	<table border="1"> <tr> <td></td><td>nickel</td><td>carbon</td><td>oxygen</td></tr> <tr> <td>%</td><td>34.5</td><td>28.1</td><td>37.4</td></tr> <tr> <td>mole</td><td>0.585</td><td>2.34</td><td>2.34</td></tr> <tr> <td>mole ratio</td><td>1</td><td>4</td><td>4</td></tr> </table> <p>nickel percentage (1) correct number of moles (1) empirical formula <math>\text{NiC}_4\text{O}_4</math> (1)</p>		nickel	carbon	oxygen	%	34.5	28.1	37.4	mole	0.585	2.34	2.34	mole ratio	1	4	4	3
	nickel	carbon	oxygen															
%	34.5	28.1	37.4															
mole	0.585	2.34	2.34															
mole ratio	1	4	4															
5(d)(i)	$\text{Ni(s)} + 2\text{H}^+(\text{aq}) \rightarrow \text{Ni}^{2+}(\text{aq}) + \text{H}_2(\text{g})$ correct balancing (1) correct state symbols dependent on correct formulae (1)	2																
5(d)(ii)	yes <b>and</b> nickel is more reactive <b>than</b> copper	1																

Question	Answer	Marks
6(a)	triple bond between C—C shown (1) each carbon to have one C—H bond shown (1)	2
6(b)(i)	(moles of ethyne =) $0.13/26$ OR $0.005$ (1) $3.01 \times 10^{21}$ (1)	2
6(b)(ii)	$1.204 \times 10^{22}$	1
6(c)	contains only carbon and hydrogen	1
6(d)	<b>M1</b> orange (1) <b>M2</b> to colourless (1)	2
6(e)	$\text{CaC}_2$	1

Question	Answer	Marks
7(a)(i)	cracking	1
7(a)(ii)	heat / high temperature (1) catalyst (1)	2
7(b)(i)	rate increases because particles move faster / particles have more kinetic energy (1) more successful collisions / more collisions (involve particles) with equal or more than activation energy / more effective collisions (1)	2

Question	Answer	Marks
7(b)(ii)	<p><b>M1</b> (position of equilibrium) moves to the right (1)</p> <p><b>M2</b> because more moles of <b>gas</b> on reactant side / fewer moles of <b>gas</b> on product side / greater volume of <b>gas</b> on reactant side / smaller volume of <b>gas</b> on product side (1)</p>	2
7(c)(i)	<p></p> <p>correct structure with any number of carbons (1)</p> <p>at least two complete repeat units and continuation bonds at the end (1)</p>	2
7(c)(ii)	<p><b>Any two from:</b></p> <p>land-fills (may fill up) (1)</p> <p>accumulation of plastics in oceans (1)</p> <p>formation of toxic gases during <b>burning</b> (1)</p>	2
7(d)(i)	makes one product only	1
7(d)(ii)	<p></p>	1

Question	Answer	Marks
8(a)	$C_{14}H_{30}$	1
8(b)	tetradecane	1
8(c)(i)	<b>M1</b> fractional distillation / use of a fractionating column (1)  <b>M2</b> petroleum is heated / petroleum is vapourised / petroleum is boiled (1)  <b>M3</b> separation because of different boiling points (1)	3
8(c)(ii)	heating / cooking	1
8(c)(iii)	(chemical) feedstock	1

Question	Answer			Marks
9(a)	substance which contains no water			1
9(b)	blue			1
9(c)	(pale) blue precipitate (1)  soluble in excess resulting in dark blue solution (1)			2
9(d)	white precipitate			1
9(e)	electrodes	carbon	copper	4
	anode	<b>fizzing / bubbling</b> (1)	<b>gets smaller</b> (1)	
	cathode	<b>pink solid</b> (1)	<b>gets bigger / pink solid</b> (1)	
9(f)	ions can move in aqueous / ions cannot move in solid			1

Question	Answer	Marks
10(a)	21	1
10(b)(i)	(enhanced) greenhouse effect / global warming / climate change	1
10(b)(ii)	<b>Any one from:</b> reforestation / afforestation (1) decreasing use of fossil fuels / (hydro)carbon fuels (1) use more renewable energy resources (1) use hydrogen as a fuel) (1)	1
10(c)(i)	oxides of nitrogen	1
10(c)(ii)	<b>Any one from:</b> flue gas desulfurisation / (reacting sulfur dioxide with) calcium oxide / (reacting sulfur dioxide with) calcium carbonate (1) use low-sulfur fuels (1) burn or use less fossil fuels / do not use fossil fuels / use renewable energy sources / use named renewable energy sources such as solar etc. (1)	1