

# Cambridge IGCSE™

---

**BIOLOGY****0610/61**

Paper 6 Alternative to Practical

**October/November 2025**

MARK SCHEME

Maximum Mark: 40

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

---

This document consists of **12** printed pages.

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Science-Specific Marking Principles**

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

**5 'List rule' guidance**

For questions that require  $n$  responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards  $n$ .
- Incorrect responses should not be awarded credit but will still count towards  $n$ .
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first  $n$  responses may be ignored even if they include incorrect science.

**6 Calculation specific guidance**

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient ( $a$ ) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

**7 Guidance for chemical equations**

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

**Annotations guidance for centres**

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

**Annotations**

Annotation	Meaning
	correct point or mark awarded
	incorrect point or mark not awarded
	information missing or insufficient for credit
	allow or accept
	incorrect or insufficient point ignored while marking the rest of the response
	contradiction in response, mark not awarded
	benefit of the doubt given
	error carried forward applied

Annotation	Meaning
<b>SEEN</b>	point has been noted, but no credit has been given or blank page seen
<b>✓ 1</b>	correct awarding one mark from marking point or marking group 1. similar numbered ticks are used for marking point or marking groups 2, 3, 4 etc.
	pages are linked together
	used to highlight parts of an extended response
	used to highlight parts of an extended response
<b>PAG</b>	Point already given
<b>MR</b>	Maximum mark reached
	Key point attempted / working towards marking point / incomplete answer / response seen but not credited / blank page seen
<b>MAX</b>	Maximum number of marks for a marking point has been awarded.

<b>Mark Scheme Abbreviations:</b>	
;	separates marking points
/	alternative responses for the same marking point
<b>R</b>	reject the response
<b>A</b>	accept the response
<b>I</b>	ignore the response
<b>ecf</b>	error carried forward
<b>AVP</b>	any valid point
<b>ora</b>	or reverse argument
<b>AW</b>	alternative wording
<u>underline</u>	actual word given must be used by candidate (grammatical variants excepted)
( )	the word / phrase in brackets is not required but sets the context
max	indicates the maximum number of marks that can be given
MP	marking point

Question	Answer	Marks	Guidance		
1(a)(i)	$C = 11$ and $W = 12$ ;	1			
1(a)(ii)	table drawn with correct number of columns and a header line ; appropriate column / row headings, with units for distance ; recording of correct number of sections for both <b>C</b> and <b>W</b> ; recording of correct total distances for both <b>C</b> and <b>W</b> ;	4	e.g. temperature	number of sections	total distance / mm
			cold / <b>C</b>	4	20
			warm / <b>W</b>	13	65
1(a)(iii)	6.5 ; mm per minute ;	2	<b>ecf</b> from 1(a)(ii)		
1(a)(iv)	the <u>higher</u> the temperature the <u>greater</u> the (rate of) dye / water movement ;	1	<b>ecf</b> from 1(a)(ii)		
1(a)(v)	to identify, anomalous results / outliers / results that do not follow the trend ;	1			
1(b)	<i>any two from:</i> both used celery <b>OR</b> same, species / type, of plant ; length of celery (stalk) ; both used blue dye <b>OR</b> type / colour of dye ; time to equilibrate ; length of time in the dye ; width of sections ;	2			
1(c)(i)	<i>error from Table 1.1</i> temperature (of the water-bath) not controlled / AW ; <i>improvement</i> thermostatically controlled water-bath ;	2			

Question	Answer	Marks	Guidance
1(c)(ii)	cut smaller / thinner sections <b>OR</b> cut the celery vertically / longitudinally ;	1	
1(d)	0.28 (mm <sup>3</sup> ) ;	2	MP1 correct calculation to any number of decimal places MP2 correct rounding to two decimal places <b>ecf</b> from previous MP
1(e)(i)	line <b>AB</b> = 60 ±1 (mm) ; 2 (mm) ;;	3	MP1 correct measurement of line <b>AB</b> MP2 correct calculation of actual size to any number of significant figures MP3 correct rounding to one significant figure

Question	Answer				Marks	Guidance																																												
1(e)(ii)	<p><i>any three differences from:</i></p> <table border="1"> <thead> <tr> <th></th> <th><b>leaf miner fly / Fig. 1.7</b></th> <th></th> <th><b>black aphid / Fig. 1.6</b></th> </tr> </thead> <tbody> <tr> <td><b>1</b></td> <td>larger</td> <td><b>OR</b></td> <td>smaller</td> </tr> <tr> <td><b>2</b></td> <td>shorter antennae / AW</td> <td><b>OR</b></td> <td>longer antennae / AW</td> </tr> <tr> <td><b>3</b></td> <td>has wings</td> <td><b>AND</b></td> <td>no wings</td> </tr> <tr> <td><b>4</b></td> <td>hairs on body</td> <td><b>AND</b></td> <td>no hairs on body</td> </tr> <tr> <td><b>5</b></td> <td>larger eye</td> <td><b>OR</b></td> <td>smaller eye</td> </tr> <tr> <td><b>6</b></td> <td>lack of two projections / AW, sticking out of abdomen / back</td> <td><b>AND</b></td> <td>two projections / AW sticking out of abdomen / back</td> </tr> <tr> <td><b>7</b></td> <td>shorter legs</td> <td><b>OR</b></td> <td>longer legs</td> </tr> <tr> <td><b>8</b></td> <td>thicker legs</td> <td><b>OR</b></td> <td>thinner legs</td> </tr> <tr> <td><b>9</b></td> <td>only three legs (visible)</td> <td><b>AND</b></td> <td>six legs</td> </tr> <tr> <td><b>10</b></td> <td>larger head</td> <td><b>OR</b></td> <td>smaller head</td> </tr> </tbody> </table> <p>;;;</p>					<b>leaf miner fly / Fig. 1.7</b>		<b>black aphid / Fig. 1.6</b>	<b>1</b>	larger	<b>OR</b>	smaller	<b>2</b>	shorter antennae / AW	<b>OR</b>	longer antennae / AW	<b>3</b>	has wings	<b>AND</b>	no wings	<b>4</b>	hairs on body	<b>AND</b>	no hairs on body	<b>5</b>	larger eye	<b>OR</b>	smaller eye	<b>6</b>	lack of two projections / AW, sticking out of abdomen / back	<b>AND</b>	two projections / AW sticking out of abdomen / back	<b>7</b>	shorter legs	<b>OR</b>	longer legs	<b>8</b>	thicker legs	<b>OR</b>	thinner legs	<b>9</b>	only three legs (visible)	<b>AND</b>	six legs	<b>10</b>	larger head	<b>OR</b>	smaller head	<b>3</b>	one mark per correct row
	<b>leaf miner fly / Fig. 1.7</b>		<b>black aphid / Fig. 1.6</b>																																															
<b>1</b>	larger	<b>OR</b>	smaller																																															
<b>2</b>	shorter antennae / AW	<b>OR</b>	longer antennae / AW																																															
<b>3</b>	has wings	<b>AND</b>	no wings																																															
<b>4</b>	hairs on body	<b>AND</b>	no hairs on body																																															
<b>5</b>	larger eye	<b>OR</b>	smaller eye																																															
<b>6</b>	lack of two projections / AW, sticking out of abdomen / back	<b>AND</b>	two projections / AW sticking out of abdomen / back																																															
<b>7</b>	shorter legs	<b>OR</b>	longer legs																																															
<b>8</b>	thicker legs	<b>OR</b>	thinner legs																																															
<b>9</b>	only three legs (visible)	<b>AND</b>	six legs																																															
<b>10</b>	larger head	<b>OR</b>	smaller head																																															
1(f)	<p>single clear outline with no shading ;    drawing larger than half the available space ;    detail 1: deep V-shaped cleft correctly located on the upper right third of the leaf ;    detail 2: between three and five separate veins coming from the same level at the top of the petiole ;</p>				<b>4</b>																																													

Question	Answer	Marks	Guidance
2	<p><i>total of six from:</i></p> <p><b>1</b> <i>independent variable</i> at least two pH values , tested / stated ;</p> <p><b>2</b> <i>dependent variable</i> time for iodine solution to stay yellow-brown / time for disappearance of starch/colour of iodine (solution) after a set period of time ;</p> <p><b>3, 4 + 5</b> <i>variables kept constant</i> ;;;</p> <ul style="list-style-type: none"> <li>concentration of amylase / enzyme (solution)</li> <li>volume of amylase / enzyme (solution)</li> <li>temperature</li> <li>volume of starch (suspension)</li> <li>concentration of starch (suspension)</li> <li>sampling interval time, stated / described</li> <li>buffer / pH (solution) volume</li> <li>iodine concentration / volume / number of drops</li> </ul> <p><b>6 &amp; 7</b> <i>method</i> ;;</p> <ul style="list-style-type: none"> <li>equilibration (both solutions in the water bath before mixing)</li> <li>take samples</li> <li>use of, spotting / white, tile</li> <li>use of buffer</li> </ul> <p><b>8</b> repeat investigation twice more / at least two replicates ;</p> <p><b>9</b> relevant safety precaution ;</p>	6	

Question	Answer	Marks	Guidance
3(a)(i)	axes labelled with units ; suitable linear scale <b>and</b> plotted area occupies at least half the grid in both directions ; all points plotted accurately $\pm$ half a small square ; suitable line drawn between all points plotted ;	4	i.e. height (of person) / cm <b>and</b> vital capacity / dm <sup>3</sup>
3(a)(ii)	as the height increases the vital capacity increases / AW ;	1	
3(a)(iii)	any indication on graph at 175 cm <b>OR</b> indication of correct value on the vital capacity axis ; correct value recorded from the candidate's graph ;	2	
3(b)	biuret (reagent) ;	1	