

# Cambridge International AS & A Level

---

**CHEMISTRY****9701/52**

Paper 5 Planning, Analysis and Evaluation

**October/November 2025****MARK SCHEME**Maximum Mark: 30

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

**PUBLISHED****Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Science-Specific Marking Principles**

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards ***n***.
- Incorrect responses should not be awarded credit but will still count towards ***n***.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

**6** Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient ( $a$ ) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

**7** Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.










**Annotations guidance for centres**

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.





We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

**Annotations**

| <b>Annotation</b>   | <b>Meaning</b>   |
|---|--|
|    | Unclear response   |
|    | Information missing or insufficient for credit                                 |
|    | Benefit of the doubt given   |
|    | Contradiction in response, mark not awarded                                    |
|  | Incorrect point <b>or</b> mark not awarded                                     |
|  | Part of the correct answer has been seen. Full credit has not been awarded.    |
|  | Error carried forward applied  |
| Highlighted text  | Highlighting areas of text   |
|  | Incorrect or insufficient point ignored while marking the rest of the response |
|  | Rounding error   |

**PUBLISHED**

| Annotation  | Meaning                                  |
|---|--|
|  | Blank page <b>or</b> part of script seen |
|  | Error in number of significant figures   |
|  | Transcription error                      |
|  | Correct point <b>or</b> mark awarded     |

**Mark Scheme abbreviations**

|                  |   |
|------------------|---|
| ;                | separates marking points  |
| /                | alternative responses for the same marking point                            |
| <b>R</b>         | reject the response   |
| <b>A</b>         | accept the response   |
| <b>I</b>         | ignore the response   |
| ecf              | error carried forward   |
| ora              | or reverse argument   |
| <u>underline</u> | actual word given must be used by candidate (grammatical variants excepted) |
| ( )              | the word / phrase in brackets is not required                               |
| max              | indicates the maximum number of marks that can be given                     |
| M1 etc.          | marking point   |
| owtte            | or words to that effect   |

**PUBLISHED**

| Question  | Answer   | Marks |
|-----------|--|-------|
| 1(a)      | 0.486 g  | 1     |
| 1(b)      | <p>M1 Dissolve the solid / KSCN(s) in (the beaker) (using a small volume of) (distilled) water</p> <p>M2 Transfer/add to a (250 cm<sup>3</sup> volumetric) flask<br/><b>and</b><br/>Rinse (with distilled water)</p> <p>M3 Top the 250 cm<sup>3</sup> volumetric flask up to mark (with distilled water)<br/><b>and</b><br/>Invert the (stoppered) flask</p> <p>Allow '250 volumetric flask' (i.e. units need not be seen)</p> | 3     |
| 1(c)(i)   | to avoid oxidation (of contents of flask)  | 1     |
| 1(c)(ii)  | to ensure that equilibrium has been reached  | 1     |
| 1(c)(iii) | Silver / Ag  | 1     |
| 1(d)(i)   | (yes)<br><b>and</b><br>two titres (2 and 3) are within 0.10 cm <sup>3</sup> (of each other)  | 1     |
| 1(d)(ii)  | <p><b>Working must be shown</b></p> $= \frac{2 \times 0.05}{21.90} \times 100 = 0.457\%$   | 1     |
| 1(d)(iii) | percentage error (in larger titre) is lower  | 1     |
| 1(e)(i)   | 0.0437 mol dm <sup>-3</sup>  | 1     |
| 1(e)(ii)  | 0.00630 mol dm <sup>-3</sup>   | 1     |



**PUBLISHED**


| Question  | Answer  | Marks |
|-----------|---|-------|
| 1(e)(iii) | M1 $K_c = 0.00630 / (0.04370)^2 = 3.30$   | 1     |
|           | M2 units = $\text{dm}^3 \text{mol}^{-1}$  | 1     |
| 1(f)(i)   | No<br><b>and</b><br>As temperature increases, $K_c$ decreases   | 1     |
| 1(f)(ii)  | (data points that obey a line of best fit are reliable because) there are no anomalous points.                          | 1     |
| 1(f)(iii) | exothermic<br><b>and</b><br>As temperature increases:<br><br>$K_c$ decreases<br><b>or</b><br>equilibrium shifts to left | 1     |

| Question | Answer                                   | Marks |
|----------|--|-------|
| 2(a)(i)  | (25.0 $\text{cm}^3$ ) volumetric pipette | 1     |
| 2(a)(ii) | (wear) chemically resistant gloves       | 1     |

**PUBLISHED**

| Question                               | Answer   | Marks                                  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
|--|--|--|--|-------|-------|-------|-------|-------|-------|-------|------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|---|
| 2(b)(i)                                | <table><tr><th>Total volume in beaker / <math>\text{cm}^3</math></th><th>Corrected conductivity / <math>\mu\text{S cm}^{-1}</math></th></tr><tr><td>25.00</td><td>37000</td></tr><tr><td>30.00</td><td>27600</td></tr><tr><td>35.00</td><td>16800</td></tr><tr><td>40.00</td><td>3680</td></tr><tr><td>45.00</td><td>9000</td></tr><tr><td>50.00</td><td>24000</td></tr><tr><td>55.00</td><td>39600</td></tr><tr><td>60.00</td><td>50400</td></tr><tr><td>65.00</td><td>63700</td></tr></table> <p>M1 Total volume in beaker values<br/>M2 Corrected conductivity values</p> | Total volume in beaker / $\text{cm}^3$ | Corrected conductivity / $\mu\text{S cm}^{-1}$ | 25.00 | 37000 | 30.00 | 27600 | 35.00 | 16800 | 40.00 | 3680 | 45.00 | 9000 | 50.00 | 24000 | 55.00 | 39600 | 60.00 | 50400 | 65.00 | 63700 | 2 |
| Total volume in beaker / $\text{cm}^3$ | Corrected conductivity / $\mu\text{S cm}^{-1}$   |  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 25.00                                  | 37000  |  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 30.00                                  | 27600  |  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 35.00                                  | 16800  |  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 40.00                                  | 3680   |  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 45.00                                  | 9000   |  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 50.00                                  | 24000  |  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 55.00                                  | 39600  |  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 60.00                                  | 50400  |  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 65.00                                  | 63700  |  |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 2(b)(ii)                               | volume of $0.100 \text{ mol dm}^{-3} \text{ Ba(OH)}_2(\text{aq})$ added to beaker  | 1                                      |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |
| 2(c)                                   | <p><b>M1</b>: all points 1–4 and 5–9 plotted correctly</p> <p><b>M2</b>: two straight lines of best fit line drawn going through most points. lines must intersect.</p> <p>Place M2 tick in 'V' of graph<br/>Place M1 tick or cross on left hand side of grid<br/>Place cross (or highlight) against mis-plot</p>  | 2                                      |  |       |       |       |       |       |       |       |      |       |      |       |       |       |       |       |       |       |       |   |

**PUBLISHED**

| Question  | Answer  | Marks |
|-----------|---|-------|
| 2(d)(i)   | intersection point volume (read from within grid)   | 1     |
| 2(d)(ii)  | $n\text{SO}_4^{2-} = 0.100 \times \text{ans (d)(i)} / 1000 = \text{mol}$<br>$[\text{SO}_4^{2-}(\text{aq})] = [0.100 \times \text{(d)(i)} / 1000] / 0.025$ | 1     |
| 2(e)(i)   | diagram showing labelled filter paper in a labelled (filter) funnel<br>  | 1     |
| 2(e)(ii)  | wash the residue with distilled water   | 1     |
| 2(e)(iii) | heat to constant mass   | 1     |
| 2(e)(iv)  | higher value<br><b>and</b><br>(water would cause) (measured) mass / amount (of residue) would be greater  | 1     |