

# Cambridge International AS & A Level

---

**BIOLOGY****9700/36**

Paper 3 Advanced Practical Skills 2

**October/November 2025****MARK SCHEME**

Maximum Mark: 40

---

Published

---

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

---

This document consists of **10** printed pages.

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

## GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

## GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

## Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards ***n***.
- Incorrect responses should not be awarded credit but will still count towards ***n***.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

**6 Calculation specific guidance**

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

**7 Guidance for chemical equations**

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

**Annotations guidance for centres**

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

**Annotations**

| Annotation | Meaning  |
|------------|--|
|            | correct point or mark awarded  |
|            | correct awarding one mark from marking point or marking group 1.<br>similar numbered ticks are used for marking point or marking groups 2, 3, 4 etc. |
|            | incorrect point or mark not awarded  |
|            | information missing or insufficient for credit   |
|            | allow or accept  |
|            | incorrect or insufficient point ignored while marking the rest of the response   |
|            | contradiction in response, mark not awarded  |
|            | benefit of the doubt given   |
|            | error carried forward applied  |
|            | incorrect point or mark not awarded  |

| <b>Annotation</b> | <b>Meaning</b>  |
|-------------------|---|
| <b>SEEN</b>       | point has been noted, but no credit has been given<br>or<br>blank page seen |

**Mark scheme abbreviations**

|                  |   |
|------------------|---|
| ;                | separates marking points  |
| /                | alternative answers for the same point                                      |
| <b>A</b>         | accept (for answers correctly cued by the question, or by extra guidance)   |
| <b>R</b>         | reject  |
| <b>I</b>         | ignore  |
| ( )              | the word / phrase in brackets is not required, but sets the context         |
| <b>AW</b>        | alternative wording (where responses vary more than usual)                  |
| <b>underline</b> | actual word given must be used by candidate (grammatical variants accepted) |
| <b>max</b>       | indicates the maximum number of marks that can be given                     |
| <b>ora</b>       | or reverse argument   |
| <b>mp</b>        | marking point (with relevant number)  |
| <b>ecf</b>       | error carried forward   |
| <b>AVP</b>       | alternative valid point   |

| Question  | Answer  | Marks |
|-----------|---|-------|
| 1(a)(i)   | 1 (heading for independent variable)<br>(yeast) beads / <b>B</b> <u>and</u> free (yeast) to the left of the dependent variable ;<br>2 (heading for dependent variable)<br>time to the first appearance of a colour change <u>and</u> s <u>and</u> no units in body of table ;<br>3 5 results for immobilised yeast cells <u>and</u> 5 results for 'free' yeast cells ;<br>4 correct trend for immobilised beads <u>and</u> 'free' yeast cells ;<br>5 results recorded to the nearest whole second ; | 5     |
| 1(a)(ii)  | <i>Any two from 1, 2 and 3:</i><br>1 (for beads) as time increases, the time to first colour change decreases ;<br>2 (for 'free yeast') as time increases, the time to first colour change decreases ;<br>3 correct comparison between the results for beads and for 'free yeast' / <b>F</b> ;<br>4 data quote to support 1, 2 or 3 ;   | 3     |
| 1(a)(iii) | boiled enzyme / yeast / use water instead of yeast ;  | 1     |
| 1(a)(iv)  | 'free' yeast cells remain in the sample and continues to catalyse the reaction ;  | 1     |
| 1(a)(v)   | <i>Any two from:</i><br>1 even concentration of yeast cells between <b>B</b> and <b>F</b> ;<br>2 even mixing in the substrate (sucrose) ;<br>3 even distribution of reducing sugars ;   | 2     |
| 1(a)(vi)  | 1 judging the time to first colour change while timing taking the sample in the sucrose / <b>S</b> ;<br>2 do each time in separate beakers one after each other / stop enzyme after taking each sample ;  | 2     |

| Question | Answer  | Marks |
|----------|---|-------|
| 1(b)(i)  | 1 x-axis: pH<br><u>and</u><br>y-axis: activity of catalase / arbitrary units (au)<br><u>and</u><br>lines correctly labelled (immobilised / free) ;<br>2 scale on x-axis: 1.0 to 2 cm, labelled at least every 2 cm<br><u>and</u><br>y-axis: 20 to 2 cm, labelled at least every 2 cm ;<br>3 correct plotting of points using small dots in circles or crosses ;<br>4 plots joined with thin line passing through all points ; | 4     |
| 1(b)(ii) | 1 both have same optimum of pH7 ;<br>2 immobilised catalase has a higher activity over a wider range of pH ;  | 2     |

| Question | Answer  | Marks |
|----------|---|-------|
| 2(a)(i)  | 1 uses most of the available space <u>and</u> the correct number of tissues ;<br>2 draws the whole section <u>and</u> no cells ;<br>3 draws the epidermis as 2 lines close together ;<br>4 draws the correct number of vascular bundles ;<br>5 label line to phloem <u>and</u> label phloem ; | 5     |
| 2(a)(ii) | 1 lines continuous, thin and sharp <u>and</u> no shading ;<br>2 draws only four cells <u>and</u> each cell touches at least two other cells ;<br>3 cell wall drawn as two lines close together ;<br>4 correct shapes of the cells ;<br>5 label line and label to cell wall ;                  | 5     |

| Question                       | Answer  | Marks             |    |          |                                |                               |             |                            |       |        |                          |           |                   |                 |         |         |   |
|--------------------------------|---|-------------------|----|----------|--------------------------------|-------------------------------|-------------|----------------------------|-------|--------|--------------------------|-----------|-------------------|-----------------|---------|---------|---|
| 2(b)                           | <p>1 records only observable differences ;<br/>     2, 3, and 4 (differences) ; ; ;</p> <p><i>Any three from :</i></p> <table border="1" data-bbox="338 382 1627 711"> <thead> <tr> <th data-bbox="338 382 787 446">feature</th><th data-bbox="787 382 1236 446">N1</th><th data-bbox="1236 382 1627 446">Fig. 2.1</th></tr> </thead> <tbody> <tr> <td data-bbox="338 446 787 509">arrangement of vascular tissue</td><td data-bbox="787 446 1236 509">in a ring, near the epidermis</td><td data-bbox="1236 446 1627 509">scattered ;</td></tr> <tr> <td data-bbox="338 509 787 573">number of vascular bundles</td><td data-bbox="787 509 1236 573">fewer</td><td data-bbox="1236 509 1627 573">more ;</td></tr> <tr> <td data-bbox="338 573 787 636">size of vascular bundles</td><td data-bbox="787 573 1236 636">same size</td><td data-bbox="1236 573 1627 636">different sizes ;</td></tr> <tr> <td data-bbox="338 636 787 711">epidermis width</td><td data-bbox="787 636 1236 711">thinner</td><td data-bbox="1236 636 1627 711">wider ;</td></tr> </tbody> </table> | feature           | N1 | Fig. 2.1 | arrangement of vascular tissue | in a ring, near the epidermis | scattered ; | number of vascular bundles | fewer | more ; | size of vascular bundles | same size | different sizes ; | epidermis width | thinner | wider ; | 4 |
| feature                        | N1  | Fig. 2.1          |    |          |                                |                               |             |                            |       |        |                          |           |                   |                 |         |         |   |
| arrangement of vascular tissue | in a ring, near the epidermis   | scattered ;       |    |          |                                |                               |             |                            |       |        |                          |           |                   |                 |         |         |   |
| number of vascular bundles     | fewer   | more ;            |    |          |                                |                               |             |                            |       |        |                          |           |                   |                 |         |         |   |
| size of vascular bundles       | same size   | different sizes ; |    |          |                                |                               |             |                            |       |        |                          |           |                   |                 |         |         |   |
| epidermis width                | thinner   | wider ;           |    |          |                                |                               |             |                            |       |        |                          |           |                   |                 |         |         |   |
| 2(c)(i)                        | <p>1 decides to measure at least 3 diameters ;<br/>     2 measurement of diameter lines within range <u>and</u> units ;</p>   | 2                 |    |          |                                |                               |             |                            |       |        |                          |           |                   |                 |         |         |   |
| 2(c)(ii)                       | <p>1 correct measurement of scale bar <u>and</u> units ;<br/>     2 shows measurement of mean diameter divided by measurement of scale bar multiplied by <math>310 \mu\text{m}</math> ;</p>   | 2                 |    |          |                                |                               |             |                            |       |        |                          |           |                   |                 |         |         |   |
| 2(c)(iii)                      | <p>1 shows mean measured diameter divided by answer to (c)(ii) ;<br/>     2 correct answer to the nearest whole number ;</p>  | 2                 |    |          |                                |                               |             |                            |       |        |                          |           |                   |                 |         |         |   |