

Cambridge International AS & A Level

BIOLOGY**9700/43**

Paper 4 A Level Structured Questions

October/November 2025**MARK SCHEME**

Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **18** printed pages.

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards ***n***.
- Incorrect responses should not be awarded credit but will still count towards ***n***.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	correct point or mark awarded
or	correct awarding one mark from marking point or marking group 1. similar numbered ticks are used for marking point or marking groups 2, 3, 4 etc.
	incorrect point or mark not awarded
	working towards marking point
	information missing or insufficient for credit
	used to highlight part of an extended response
	used to highlight part of an extended response
	allow or accept
	benefit of the doubt given

Annotation	Meaning
BP	blank page
CON	contradiction in response, mark not awarded
ECF	error carried forward applied
GM	mark already given
I	incorrect or insufficient point ignored while marking the rest of the response
MAX	maximum number of marks for a marking point has been awarded
O	or reverse argument
R	incorrect point or mark not awarded
SEEN	point has been noted, but no credit has been given or blank page seen

Mark scheme abbreviations

;	separates marking points
/	alternative answers for the same point
A	accept (for answers correctly cued by the question, or by extra guidance)
R	reject
I	ignore
()	the word / phrase in brackets is not required, but sets the context
AW	alternative wording (where responses vary more than usual)
Underline	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
AVP	alternative valid point

Question	Answer	Marks																									
1(a)(i)	AABB AABb AaBB AaBb ; ;	2																									
1(a)(ii)	long chocolate ;	1																									
1(b)	 <table border="1"> <tr> <td></td> <td>AB</td> <td>Ab</td> <td>aB</td> <td>Ab</td> </tr> <tr> <td>AB</td> <td>AABB</td> <td>AABb</td> <td>AaBB</td> <td>AaBb</td> </tr> <tr> <td>Ab</td> <td>AABb</td> <td>AAAb</td> <td>AaBb</td> <td>Aabb</td> </tr> <tr> <td>aB</td> <td>AaBB</td> <td>AaBb</td> <td>aaBB</td> <td>aaBb</td> </tr> <tr> <td>Ab</td> <td>AaBb</td> <td>Aabb</td> <td>aaBb</td> <td>aabb ;</td> </tr> </table> <i>F2 offspring phenotype number ratio:</i> 9 : 3 : 3 : 1 ; short black short chocolate long black long chocolate ;		AB	Ab	aB	Ab	AB	AABB	AABb	AaBB	AaBb	Ab	AABb	AAAb	AaBb	Aabb	aB	AaBB	AaBb	aaBB	aaBb	Ab	AaBb	Aabb	aaBb	aabb ;	4
	AB	Ab	aB	Ab																							
AB	AABB	AABb	AaBB	AaBb																							
Ab	AABb	AAAb	AaBb	Aabb																							
aB	AaBB	AaBb	aaBB	aaBb																							
Ab	AaBb	Aabb	aaBb	aabb ;																							
1(c)	1 structural gene codes for, (named) structural / functional, protein / polypeptide ; 2 regulatory gene codes for, transcription factor / repressor protein or regulatory gene, controls / helps / restricts, expression of (other) genes ;	2																									

Question	Answer			Marks	
2(a)(i)		<i>E. turicum</i>	<i>Z. mays</i>	2	
	1 structural difference	chitin cell wall or no chloroplasts or hyphae / cells long and branching or syncytial / multinucleate / several nuclei per cell	cellulose cell wall or chloroplasts or no hyphae / cells not long and branching or one nucleus per cell ;		
	2 functional difference	heterotroph(ic) / parasitic / obtain food from host / do not photosynthesise	autotroph(ic) / phototrophic / photosynthesis(e) ;		
2(a)(ii)	<p>any four from:</p> <p>1 large groups divide into smaller groups ; 2 common / similar / shared, features within a group ; 3 ref. <i>three of</i>: kingdom – phylum – class – order – family ; 4 genus and species = binomial / Linnaean / Latin / scientific, name ; 5 (both in domain) Eukarya ; 6 different kingdoms / Fungi and Plantae ;</p>				
2(b)(i)	<p>any two from:</p> <p>1 low percentage leaf damage means high resistance (to infection) ; 2 SKV50 = 22% <u>and</u> CML153 = 58% ; 3 SKV50 shows greater resistance (to infection) ;</p>				
2(b)(ii)	continuous ;				

Question	Answer	Marks
2(b)(iii)	<p><i>any four from:</i></p> <p>1 many / different / several / multiple, genes ; 2 affect, same trait / (percentage) area of leaf damage / resistance ; 3 <u>alleles</u> of, one / each, gene have a small effect ; 4 (different) <u>genes</u> have, additive / combined / interactive, effects ; 5 mathematical treatment to illustrate additive effect ;</p>	4

Question	Answer	Marks
3(a)(i)	0.95 (no units) ; ;	2
3(a)(ii)	<p><i>any two from:</i></p> <p>1 B, run for less time / stopped early ; 2 chlorophyll, converted / changed, to phaeophytin ; 3 AVP ;</p>	2
3(a)(iii)	<p><i>any one from:</i></p> <p>1 different solvents ; 2 different, TLC plate / chromatogram / stationary phase (material) ; 3 different temperatures ;</p>	1

Question	Answer	Marks
3(b)	<p><i>any four from:</i></p> <p><i>similarities</i></p> <p>1 both absorb, blue / between 400 and 475 nm ; 2 both absorb, little / no, light between 525 and, 600 / 630, nm or both absorb, little / no, green / yellow, light ; 3 AVP ;</p> <p><i>max three differences</i></p> <p>4 chlorophyll a absorbs, at more / a larger range of, wavelengths ; 5 chlorophyll a absorbs, more / better, between 400 and 445 nm ; 6 carotenoids absorb, more / better, between 445 and 525 nm ; 7 chlorophyll a absorbs between, 600 / 640, and, 680 / 690 nm, <u>and</u> carotenoids do not ;</p> <p>8 chlorophyll a (blue absorption) peak / highest, at 425 / 430 nm <u>and</u> carotenoids (blue absorption) peak / highest, at 460 / 465 nm ; 9 chlorophyll a has blue peak and red peak but carotenoids have two blue peaks and no red peak or chlorophyll a has two peaks but carotenoids have three peaks ;</p>	4
3(c)	<p><i>any four from:</i></p> <p>1 gibberellin, moves to / acts on / stimulates, <u>aleurone</u> layer ; 2 binds to, (gibberellin) receptor / GID(1) ; 3 breaks down <u>DELLA</u> (protein) ; 4 releases, PIF / transcription factor ; 5 switches on <u>gene</u> for, amylase / maltase / protease ; 6 amylase, breaks down / hydrolyses, starch to maltose ; 7 sugars / glucose, for, respiration / growth, of embryo ;</p>	4

Question	Answer	Marks
4(a)	<p>1 diploid ; 2 allele ; 3 dominant (allele) ;</p>	3
4(b)	<p><i>any four from:</i></p> <p>1 CDV acts as a selection pressure ; 2 DNA / allele, for black (coat) gives <u>resistance</u> to CDV or DNA / allele, for black (coat), gives (selective) advantage / is selected for, if / when, CDV is common / dogs are common ;</p> <p><i>in the south (context must be established at least once):</i></p> <p>3 more CDV (infection) in <u>wolves</u> ; 4 black wolves, more likely to survive / have selective advantage / are selected <u>for</u> ; ORA greys 5 black wolves more likely to, breed / reproduce ; ORA greys 6 pass on / increase the frequency of, <u>allele</u> for black coat ; ORA grey</p>	4
4(c)	<p>1 positive (linear) correlation / positive relationship / direct relationship / directly proportional or as <u>%</u> with (anti-CDV) antibodies increases the <u>%</u> of black wolves increases ;</p> <p><i>plus any three from:</i></p> <p>2 wolves that survive CDV will, later / as a result, have antibodies ; 3 high % of antibodies show population with high level of CDV ; 4 in population with high % antibodies, grey wolves have died / more black wolves are left ; 5 gene / DNA / allele / protein, that gives black coat, helps survival / gives resistance to CDV / defends against CDV ; 6 AVP ;</p>	4

Question	Answer					Marks																
5(a)	<table border="1" data-bbox="332 242 1930 616"> <thead> <tr> <th data-bbox="332 242 826 314">feature</th><th data-bbox="826 242 1162 314">ADH</th><th data-bbox="1162 242 1499 314">glucagon</th><th data-bbox="1499 242 1836 314">insulin</th><th data-bbox="1836 242 1930 314"></th></tr> </thead> <tbody> <tr> <td data-bbox="332 314 826 417">binds to receptors on cell surface membranes</td><td data-bbox="826 314 1162 417">✓</td><td data-bbox="1162 314 1499 417">✓</td><td data-bbox="1499 314 1836 417">✓</td><td data-bbox="1836 314 1930 417">;</td></tr> <tr> <td data-bbox="332 417 826 520">results in molecules moving from cells into the blood</td><td data-bbox="826 417 1162 520">✓</td><td data-bbox="1162 417 1499 520">✓</td><td data-bbox="1499 417 1836 520">✗</td><td data-bbox="1836 417 1930 520">;</td></tr> <tr> <td data-bbox="332 520 826 616">is secreted as a result of detection by osmoreceptors</td><td data-bbox="826 520 1162 616">✓</td><td data-bbox="1162 520 1499 616">✗</td><td data-bbox="1499 520 1836 616">✗</td><td data-bbox="1836 520 1930 616">;</td></tr> </tbody> </table>	feature	ADH	glucagon	insulin		binds to receptors on cell surface membranes	✓	✓	✓	;	results in molecules moving from cells into the blood	✓	✓	✗	;	is secreted as a result of detection by osmoreceptors	✓	✗	✗	;	3
feature	ADH	glucagon	insulin																			
binds to receptors on cell surface membranes	✓	✓	✓	;																		
results in molecules moving from cells into the blood	✓	✓	✗	;																		
is secreted as a result of detection by osmoreceptors	✓	✗	✗	;																		
5(b)	<p><i>any four from:</i></p> <p>1 impulses / action potentials / neurotransmitters, in nervous system <u>and</u> hormones in endocrine system ; 2 electrical in nervous system <u>and</u> chemical in endocrine system ; 3 neurones / nerve cells, in nervous system <u>and</u> blood in endocrine system ; 4 effects are / target is, specific / localised, in nervous system <u>and</u> (can be) widespread in endocrine system ; 5 effect / response, happens quickly in nervous system and slowly in endocrine system ; 6 effect / response, lasts a short time in nervous system <u>and</u> long time in endocrine system ; 7 AVP ;</p>					4																
5(c)(i)	C ;					1																
5(c)(ii)	B ;					1																

Question	Answer	Marks
5(c)(iii)	<p>1 (D / it), shortens / contracts / decreases ; <i>and any three from:</i></p> <p>2 calcium ions / Ca^{2+}, bind to troponin ; 3 tropomyosin, moves / shifts position / exposes binding sites on actin ; 4 myosin (head) binds to actin / myosin-actin cross-bridges form ; 5 power stroke / myosin head, pulls actin ; 6 more actin, enters / overlaps with, A band / B or more overlap between actin and myosin ;</p>	4

Question	Answer	Marks
6(a)(i)	<p><i>any three from:</i></p> <p>1 identify / protect / prioritise, species most at risk ; 2 provide data to / advise, governments / scientists / zoos / industry ; 3 so action can be taken to protect a <u>species</u> ; 4 example of conservation action ; 5 AVP ;</p>	3
6(a)(ii)	<p><i>in Europe / west or where, endangered / EN (context must be stated)</i></p> <p>1 <i>P. arion</i> less abundant (compared to, Asia / NT) ; 2 more threatened / higher risk of extinction ; 3 AVP ;</p>	2
6(b)(i)	<p>1 <u>habitat</u>, degradation / change / loss ; 2 due to, (change in) farming / development ; 3 lack of, food plants / flowers for food ;</p>	2

Question	Answer	Marks
6(b)(ii)	<p><i>any four from:</i></p> <p>1 prevent extinction / allow survival (of species) ; 2 maintain / increase, biodiversity ; 3 aesthetic / recreational / wellbeing (reasons / benefits) ; 4 for, scientific interest / research / education ; 5 ethical / moral / stewardship (obligation) ; 6 local cultural significance / save local heritage / ecotourism ; 7 maintain / protect / restore / stability of, food chains / food webs ; 8 pollination / ecosystem, services ;</p>	4

Question	Answer	Marks
7(a)	<p><i>any three from:</i></p> <p>1 breaks down / hydrolyses to / converted to, ADP / AMP, and Pi ; 2 releases energy / energy donor ; 3 reversible reaction / high turnover / can be regenerated ; 4 small / soluble, so can, diffuse / move (freely), in cell ; 5 AVP ;</p>	3
7(b)	<p><i>any six from:</i></p> <p>1 ETC / electron flow, less / stops ; 2 no / less, energy, available / released / supplied (from electron flow) ; 3 no / fewer, H⁺ ions / protons, <u>pumped</u> to intermembrane space ; 4 no / smaller, H⁺ / proton, gradient ; 5 no / fewer, protons <u>diffuse</u> through ATP synthase ; 6 no / fewer, electrons reach, last carrier / end of chain ; 7 no / fewer, electrons can react with oxygen to form water ; 8 (oxidised) <u>NAD</u> not regenerated / lack of <u>NAD</u> ; 9 no / less, glycolysis / link reaction / Krebs cycle ; 10 AVP ;</p>	6

Question	Answer	Marks
8(a)	<p><i>any four from:</i></p> <p>1 (Liberty Link soybean / it, is) not harmed by / not killed by / resistant to, herbicide / glufosinate ; 2 herbicide / glufosinate, kills, weeds / unwanted plants ; 3 reduces / removes / less / no, <u>competition</u> (with, weeds / unwanted plants) ; 4 ref. to (sun)light / water / (named) <u>soil</u> minerals ; 5 higher yield or more crop, harvested / produced ; 6 AVP ;</p>	4
8(b)(i)	restriction, enzyme / endonuclease ;	1
8(b)(ii)	(DNA) ligase ;	1
8(c)	<p><i>any three from:</i></p> <p><i>some / other / 21, countries:</i></p> <p>1 may, have, unsuitable / described problem in, climate / weather / soil ; 2 no regulatory approval / may have banned (GM / Liberty Link) ; 3 may have, (activist) groups / people, opposed to GM crops ; 4 may not have land space available ; 5 may have banned, herbicide / glufosinate ; 6 AVP ;</p>	3

Question	Answer	Marks
9(a)	(X =) (renal) pelvis ; (Y =) medulla ;	2
9(b)	<i>any four from:</i> 1 glucose oxidase (present / immobilised, in sensor / on strip) ; 2 glucose → hydrogen peroxide ; 3 hydrogen peroxide (oxidised) → oxygen / electrons ; 4 (magnitude of) e– flow / current / voltage, (generated) is proportional to, hydrogen peroxide / glucose, concentration ; 5 digital / numerical / quantitative, reading / result / value (on screen) ; 6 AVP ;	4

Question	Answer	Marks
10	<p><i>marks from any two groups of mark points to max 6:</i></p> <p>1 mutant <u>TYR</u> gene codes for non-functioning tyrosinase ; 2 <u>albinism</u> / <u>albino</u>, recessive (disorder / allele) ; 3 lack of melanin / no melanin produced ; 4 giving, pale / fair, skin / hair or giving, transparent / pink, iris ; 5 mutant <u>HBB</u> gene codes for, abnormal (β) globin / haemoglobin S ; 6 <u>sickle cell</u>, anaemia / disease, codominant (disorder / allele) ; 7 less soluble / sticky / rod-forming, haemoglobin makes red blood cells sickle ; 8 sickle cells, block capillaries / cause pain (in low O₂ conditions) ; 9 mutant <u>F8</u> gene codes for non-functional factor VIII ; 10 <u>haemophilia</u>, recessive / sex-linked / on X chromosome ; 11 fibrinogen not changed to fibrin ; 12 blood clotting problem / risk of excessive bleeding ; 13 mutant <u>HTT</u> gene codes for abnormal <u>huntingtin</u> protein ; 14 <u>Huntington's</u> disease dominant (disorder / allele) ; 15 ref. to additional / number of, <u>CAG</u> repeats ; 16 cognitive / movement, difficulty ;</p> <p><i>other human genetic conditions (max 2 conditions with 4 possible marks each)</i></p> <p>17 mutant named gene codes for abnormal named protein ; ; 18 type of allele that causes named condition ; ; 19 biochemical detail re. gene / protein / molecule ; ; 20 physiological effect ; ;</p>	6