

# Cambridge International AS & A Level

---

**BIOLOGY****9700/53**

Paper 5 Planning, Analysis and Evaluation

**October/November 2025****MARK SCHEME**

Maximum Mark: 30

---

Published

---

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

---

This document consists of **12** printed pages.

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Science-Specific Marking Principles**

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

**5 'List rule' guidance**

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards ***n***.
- Incorrect responses should not be awarded credit but will still count towards ***n***.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

**6 Calculation specific guidance**

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

**7 Guidance for chemical equations**

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

**Annotations guidance for centres**

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

**Annotations**

| Annotation | Meaning  |
|------------|--|
|            | correct point or mark awarded  |
|            | correct awarding one mark from marking point or marking group 1.<br>similar numbered ticks are used for marking point or marking groups 2, 3, 4 etc. |
|            | incorrect point or mark not awarded  |
|            | working towards marking point  |
|            | information missing or insufficient for credit   |
|            | used to highlight part of an extended response   |
|            | used to highlight part of an extended response   |
|            | allow or accept  |
|            | benefit of the doubt given   |

| Annotation  | Meaning  |
|-------------|--|
| <b>BP</b>   | blank page   |
| <b>CON</b>  | contradiction in response, mark not awarded                                    |
| <b>ECF</b>  | error carried forward applied  |
| <b>PAG</b>  | marking point already given  |
| <b>I</b>    | incorrect or insufficient point ignored while marking the rest of the response |
| <b>IRRL</b> | irrelevant material that does not answer the question                          |
| <b>MR</b>   | maximum mark reached   |
| <b>O</b>    | or reverse argument  |
| <b>R</b>    | incorrect point or mark not awarded  |
| <b>SEEN</b> | point has been noted, but no credit has been given<br>or<br>blank page seen    |

**Mark scheme abbreviations**

|                  |   |
|------------------|---|
| ;                | separates marking points  |
| /                | alternative answers for the same point                                      |
| <b>A</b>         | accept (for answers correctly cued by the question, or by extra guidance)   |
| <b>R</b>         | reject  |
| <b>I</b>         | ignore  |
| ( )              | the word / phrase in brackets is not required, but sets the context         |
| <b>AW</b>        | alternative wording (where responses vary more than usual)                  |
| <b>underline</b> | actual word given must be used by candidate (grammatical variants accepted) |
| <b>max</b>       | indicates the maximum number of marks that can be given                     |
| <b>ora</b>       | or reverse argument   |
| <b>mp</b>        | marking point (with relevant number)  |
| <b>ecf</b>       | error carried forward   |
| <b>AVP</b>       | alternative valid point   |

| Question | Answer   | Marks |
|----------|--|-------|
| 1(a)     | <p><i>any one from:</i></p> <p>(presence of) juglone (with a concentration of <math>1.0 \times 10^{-3}</math> mol dm<math>^{-3}</math>)<br/> <u>and</u><br/> control (treatment) / absence of juglone ;<br/> concentration, of juglone ;</p> | 1     |
| 1(b)(i)  | <p>5 cm<math>^3</math> of (original / 0.1 mol dm<math>^{-3}</math>) juglone (solution) ;<br/> 495 cm<math>^3</math> of the (mixture of) solvents ;</p>   | 2     |
| 1(b)(ii) | <p><i>any one from:</i></p> <p>use, syringe / graduated pipette / micropipette / burette ;<br/> use, volumetric flask ;<br/> use larger (stated) volumes (of both juglone and mixture of solvents) ;</p>                                     | 1     |
| 1(c)(i)  | <p>1 (mixture of) solvents / solution, with no juglone ;<br/> 2 <i>idea that to show that any <del>effect</del> observed (on the, germination / growth, of seeds) are a result of juglone ;</i></p>  | 2     |

| Question                | Answer  | Marks               |      |            |         |                            |                     |          |                            |                     |                         |                    |                     |      |  |                     |   |
|-------------------------|---|---------------------|------|------------|---------|----------------------------|---------------------|----------|----------------------------|---------------------|-------------------------|--------------------|---------------------|------|--|---------------------|---|
| 1(c)(ii)                | <p><b>any seven from:</b></p> <p>1 <del>method</del> for standardising the exposure of the seeds to juglone ;</p> <p>2 <i>ref. to use, same / stated, (cucumber) seeds ;</i></p> <p>3 <del>method</del> to maintain a, constant / stated, temperature ;</p> <p>4 <del>method</del> to maintain a, constant / stated, light intensity ;</p> <p>5 <i>ref. to standardise another key variable ;</i></p> <p>6 <i>idea of reapply juglone (to seedlings) after germination ;</i></p> <p>7 count / note / record / AW, number of seeds planted <u>and</u> count number of seeds that germinate, after a, set / stated, time ;</p> <p>8 <del>method</del> for measuring growth <del>at 10 days</del> (after the appearance of the seedling above the soil) ;</p> <p>9 <del>for juglone solution and control treatment</del>, use a large number of seeds <u>and</u> calculate the mean (growth) for each group ;</p> <p>10 safety comment with hazard <u>and</u> risk <u>and</u> precaution ;</p> <table border="1" data-bbox="332 1024 1290 1421"> <thead> <tr> <th data-bbox="332 1024 601 1084">hazard</th><th data-bbox="601 1024 972 1084">risk</th><th data-bbox="972 1024 1290 1084">precaution</th></tr> </thead> <tbody> <tr> <td data-bbox="332 1084 601 1144">juglone</td><td data-bbox="601 1084 972 1144">irritant / toxin / allergy</td><td data-bbox="972 1084 1290 1144">gloves / mask / PPE</td></tr> <tr> <td data-bbox="332 1144 601 1205">solvents</td><td data-bbox="601 1144 972 1205">irritant / toxin / allergy</td><td data-bbox="972 1144 1290 1205">gloves / mask / PPE</td></tr> <tr> <td data-bbox="332 1205 601 1313">cucumber seeds / plants</td><td data-bbox="601 1205 972 1313">irritant / allergy</td><td data-bbox="972 1205 1290 1313">gloves / mask / PPE</td></tr> <tr> <td data-bbox="332 1313 601 1421">soil</td><td data-bbox="601 1313 972 1421">biohazard / pathogens / allergy / irritant</td><td data-bbox="972 1313 1290 1421">gloves / mask / PPE</td></tr> </tbody> </table> | hazard              | risk | precaution | juglone | irritant / toxin / allergy | gloves / mask / PPE | solvents | irritant / toxin / allergy | gloves / mask / PPE | cucumber seeds / plants | irritant / allergy | gloves / mask / PPE | soil | biohazard / pathogens / allergy / irritant | gloves / mask / PPE | 7 |
| hazard                  | risk  | precaution          |      |            |         |                            |                     |          |                            |                     |                         |                    |                     |      |  |                     |   |
| juglone                 | irritant / toxin / allergy  | gloves / mask / PPE |      |            |         |                            |                     |          |                            |                     |                         |                    |                     |      |  |                     |   |
| solvents                | irritant / toxin / allergy  | gloves / mask / PPE |      |            |         |                            |                     |          |                            |                     |                         |                    |                     |      |  |                     |   |
| cucumber seeds / plants | irritant / allergy  | gloves / mask / PPE |      |            |         |                            |                     |          |                            |                     |                         |                    |                     |      |  |                     |   |
| soil                    | biohazard / pathogens / allergy / irritant  | gloves / mask / PPE |      |            |         |                            |                     |          |                            |                     |                         |                    |                     |      |  |                     |   |

| Question | Answer   | Marks |
|----------|--|-------|
| 1(d)(i)  | <p><i>any two from:</i></p> <p>1 data is continuous ;</p> <p>2 comparing means (from the two groups) ;</p> <p>3 data is (from populations that are) normally distributed ;</p> <p>4 standard deviations (approximately) the same (between the two groups) ;</p>  | 2     |
| 1(d)(ii) | <p><i>any three from:</i></p> <p>1 (the critical value at 18 d.f. and <math>p = 0.05</math> is) 2.101 ;</p> <p>2 calculated value of <math>t / 2.090</math>, is less than, critical value / 2.101 (at <math>p = 0.05</math>) ; <b>ora</b></p> <p>3 <u>null</u> hypothesis is accepted (at <math>p = 0.05</math>) ;</p> <p>4 there is no <u>significant difference</u> (at <math>p = 0.05</math>) ;</p> | 3     |

| Question  | Answer  | Marks |
|-----------|---|-------|
| 2(a)      | <p><i>any two from:</i></p> <p>1 (initial) volume / population / number, of bacteria (in bacterial suspensions)<br/> <b>or</b><br/> volume of (bacterial) suspension<br/> <b>or</b><br/> (original) optical density of (bacterial) suspensions ;</p> <p>2 volume of nitrite (ion solution) ;</p> <p>3 concentration / volume, of nutrient broth ;</p> | 2     |
| 2(b)(i)   | <p>(<i>species of bacterium:</i>) nominal ;</p> <p>(<i>lowest nitrite concentration:</i>) continuous ;</p>  | 2     |
| 2(b)(ii)  | <p>1 correct reading of values from Figure 2.1<br/> (<i>Salmonella enteritidis</i> =) <b>0.7</b> <u>and</u> (<i>Salmonella typhimurium</i> =) <b>5</b> ;</p> <p>2 correct working ;</p> <p>3 correct value for percentage difference ;<br/> 614 (%) / 86 (%)</p>  | 3     |
| 2(b)(iii) | <p>(most affected =) <i>Yersinia enterocolitica</i><br/> (least affected =) <i>Salmonella typhimurium</i> ;</p>   | 1     |

| Question | Answer  | Marks |
|----------|---|-------|
| 2(c)     | <p><i>any four from:</i></p> <p>1 <i>idea that</i> investigation, not carried out in a person / carried out in a laboratory ;</p> <p>2 <i>idea that</i> investigation only carried out for 24 hours / no information about longer term effects ;</p> <p>3 <i>idea that</i> experiment, only used 5 species of (pathogenic) bacteria / did not use other bacteria ;</p> <p>4 pH in the, digestive system / stomach / intestines / AW, is not 4.8 / is different ;</p> <p>5 <i>idea that</i> nitrites may, kill / reduce growth / AW, of <del>beneficial</del> / AW, bacteria (in the digestive system) ;</p> <p>6 nitrites could, cause side effects / be toxic / AW (in humans) ;</p> <p>7 no evidence of control experiment ;</p> <p>8 no statistical, test / analysis ;</p> <p>9 <i>idea that</i> (bacterial) population sizes may not have decreased (as only measured when no bacterial population growth occurred) ;</p> | 4     |